

Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Fax: 001 (780) 469-6986 www.brichemsteel.com Tel: 001 (780) 469-6603

Product: Seamless Carbon Steel Pipe

Product Heat Number: BSM-0514

NPS 24 TRUE40

Production Date:

Product Size:

October 23, 2012

Production Method: Hot Expansion Product Heat Treatment: As-rolled

Product Standards: ASME B36.10-2004, API 5L-44th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: .BRI-STEEL MFG <API> 51-0898 API 51 GR B PSL1 ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 24 TRUE40 HEAT BSM-0514 (PIPE # LENGTH MASS) 171.21b/ft NDE 1220PSI SMLS NACE MR0175 2012/10 MADE IN CANADA.

Τ	1	BS	Γ	-	Ī			
		BSM-0514	Heat					
					Heat	Test Type		
							24	NPS
		TRUE40	Thickness	Wall	Product Details			
		7	Pieces		S			
		DRL	Length					
Chemical Analysis (wt%)		171.20	lb/ft	Mass				
		-5	μR/hr	Geiger				
		<20	Gauss	Res.Mag.				
		Pass	Insp.	Visual				
		Pass	OD		Non-E			
		Pass	ΨT	TU	Non-Destructive Testing			
		Pass	ASTM E213	TU	esting			
		Pass	ASTM E309	ET				
		Pass	ASTM E213 ASTM E309 1220 psi/5s Condition	HydroTest				
		Plain End	Condition	End				

	BSM-0514	Heat					BSM-0514		
	Heat	Test Type				vacuum D	Blast Furnace;	Steelma	
	Ferrite & Pearlite	Microstructure				vacuum Degas; Fully Killed	Blast Furnace; EAF; Ladle Refining;	Steelmaking Method	
	lite	ure	3			Product	Heat	Analysis	
	77	HRBW	Hardness			0.18	0.19	0	
	7					0.94	0.91	Mn	
	Pa	Flatten				0.012	0.017	P	
	Pass	Flattening Test		Mechan		0.002	0.001	5	
Longitudinal; 38.1	Transverse; 38.1mm x WT Longitudinal; 38.1mm x WT	50mm GL	Tension Test	Mechanical Properties	0.017 0.001 0.31 0.012 0.002 0.30 Mechanical Prope		Si		
				rties		0.03	0.04	ç	
nm x WT						0.08	0.09	C	
50,000	44,800	psi	Yield (Rt			0.01	0.02	Mo	
Ō	ō		ld (Rt0.5) Yi		0.03	0.03	Z.		
49,600	43,200	psi	Yield (Rp0.2)			0.003		<	
71	72		2) Tensi			0.003	0.002	=	
71,500	72,000	psi	Tensile (Rm)			0.001	0.001	Мb	
0.70	0.62	(Rt0.5/Rm)	Υ/Τ			0.0001	0.0003	В	
			Elong			0.35	ı	(IIW)	æ
52	48	%	Elongation (A)			0.36	-	(CSA)	CE

Additional Details:

 \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-44th Ed., ASTM/ASME A/SA106-2011, A/SA53-2012 and the purchase order requirements, and that the results meet the corresponding requirements.

Service, and NACE MR0103-2010 Section 2.1. ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

No weld repairs have been performed on this product.

This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

20170ct26

Mill Test Certificate approved by:

Manager of Quality and R&D Kenton Dechant, P.Eng.