

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc. Tel: 001 (780) 469-6603

www.brichemsteel.com Fax: 001 (780) 469-6986

Product: Seamless Carbon Steel Pipe

> Product Heat Number: BSM-0568

Production Date:

Product Size:

NPS 16 STD

November 26, 2012

Production Method: Hot Expansion Product Heat Treatment: As-rolled

Product Standards: ASME B36.10-2004, API 5L-44th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: BRI-STEEL MFG <API> 51-0898 API 51 GR B PSL1 ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 16 STD HEAT BSM-0568 (PIPE # LENGTH MASS) 62.581b/ft NDE 1140 PSI SMLS NACE MR0175 2012/11 MADE IN CANADA.

Г]	В			Г
		BSM-0568	Heat		
Chemical Analysis (wt%)		Heat	Test Type		Product Details
		16	NPS		
		STD	Thickness	Wall	
		3	Pieces		
		DRL	Length		
		62.58	lb/ft	Mass	
		<5	μR/hr	Geiger	Non-C
		<20	Gauss	Res.Mag.	
		Pass	Insp.	Visual	
		Pass	OD		
		Pass	TW	IN	Non-Destructive Testing
		Pass	ASTM E213	TU	Testing
		Pass	ASTM E309	ET	
		Pass	ASTM E213 ASTM E309 1140 psi/5s Condition	HydroTest	
		37.5° Bevel	Condition	End	

Steelmaking Method

Analysis Heat

Μ

Ф

S

S

5

0.01 ₹

0.04 Z

<

∄

8

В

(IV) CE

(CSA) R

				107	_0		93
	BSM-0568 Heat	Heat BSM-0568				0000	RSM-0568
	Heat	Test Type				Vacuum D	Blast Furnace;
	Ferrite & Pearlite	Microstructure				Vacuum Degas; Fully Killed	Blast Furnace; EAF; Ladle Refining;
	rlite	ire				Product	Heat
	78	HRBW	Hardness			0.21 0.97 0.012 0.006 0.23	0.18 0.93 0.000 0.004 0.25 0.04
						0.97	0.93
	Pass	Flattenir				0.012	0.000
	ŝS	Flattening Test		Mechan	ar S	0.006	0.004
Longitud	Transver		To	Mechanical Properties			0.25
Longitudinal; 38.1mm x WT	Transverse; 38.1mm x WT	50mm GL	Tension Test	rties		0.03	0.04
nm x WT	m x WT		st	3 3355 G		0.08	0.08
49,30	46,000	psi	Yield (Rt0.5)			0.01	0.01
ŏ	00					0.04	0.04
49,400	45,000	psi	Yield (Rp0.2) Tensile (Rm)			0.003	9
7.2	7.0) Tens			0.002	
74,500	74,500	psi	ile (Rm)			0.002	
0.66	0.62	(Rt0.5/Rm)	T/Y			0.002 0.0003 0.39	0.0003
		1)	Elong			0.39	-
41	40	%	Elongation (A)		8	0.40	

Additional Details:

- and that the results meet the corresponding requirements. Inc. in accordance with API 5L-44th Ed., ASTM/ASME A/SA106-2011, A/SA53-2012 and the purchase order requirements, ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1. This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- No weld repairs have been performed on this product.
- This certificate represents a quality control system that is compliant with EN 10204;2004 Type 3.1. √ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

Mill Test Certificate approved by:

Kenton Dechant, P.Eng. Manager of Quality and R&D

2012/20128