

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 www.brichemsteel.com Tel: 001 (780) 469-6603

Seamless Carbon Steel Pipe

Product Heat Number: BSM-0586

Product Size:

NPS 20 TRUE80

Production Date:

December 4, 2012

Production Method: Hot Expansion

Product Markings:

Product Standards:

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Plain End	*	Pass	Pass	Pass	Pass	Pass	<20	\$	208.90	DRL	8	TRUE80	20	Heat	BSM-0586
Condition		ASTM E309	ASTM E213	WT	OD	Insp.	Gauss	μR/hr	lb/ft	Length	Pieces	Thickness	NPS	Test Type	Heat
t End	HydroTest	ET	TU	TU		Visual	Res.Mag.	Geiger	Mass			Wall			
			Testing	estructive	Non-D						S	Product Detail	-0		

.BRI-STEEL MFG ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 20 TRUE80 HEAT BSM-0586 (PIPE # LENGTH MASS) 208.91b/ft NDE SMLS NACE MR0175 2012/12 MADE IN CANADA.

		BSM-0586	Heat		
	Vacuum Degas; Fully Killed	Blast Furnace; EAF; Ladle Refining;	Steelmaking Method		
	Product	Heat	Analysis		
	0.21	0.20	C		
	0.94	0.93	Mn		
	0.013	0.001	P		
	0.006	0.002	S		Chemical Analysis (wt%)
	0.31	0.28	Si		Analysis
	0.03	0.04	Cr		(wt%)
	0.06	0.06	Cu		
0.02	0.01	0.01	Mo		
0.00	0.02	0.02	Z.		
0.000	0.003	0.003	<		
0.000	0.003	0.002	∄		
0.00	0.001	0.001	Nb		
2000	0.0002	1000.0	В		
0.00	0.38	1	(IIW)	Œ	
0.00	0.39	1	(CSA)	Œ	

Heat BSM-0586	Test Type Heat	Microstructure Ferrite & Pearlite	Hardness HRBW 76	Mechan Flattening Test Pass	Mechanical Properties Tension Test 90mm GL Transverse: 38 1mm x WT	Yield (Rt0.5) psi 46 700	Yield (Rp0.2) psi 45 000	Tensile (Rm) psi 70 500	<u>a</u>	Elongation (A) %
			Hardness		Tension Test	Yield (Rt0.5)	Yield (Rp0.2)	Tensile (Rm)	1/4	Elongation (A)
Heat	Test Type	Microstructure	HRBW	Flattening Test	50mm GL	psi	psi	psi	(Rt0.5/Rm)	%
BSM-0586 Heat	Heat	Ferrite & Pearlite	76	Pass	Transverse; 38.1mm x WT	46,700	45,000	70,500	0.66	53
					Longitudinal; 38.1mm x WT	46,800	46,900	70,000	0.67	54

Additional Details:

Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012 and the purchase order requirements, and that the ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

results meet the corresponding requirements.

No weld repairs have been performed on this product.

Service, and NACE MR0103-2010 Section 2.1

 \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

*Note that this product was hydrotested to 1000 psi for 5 seconds. √ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Manager of Quality and R&D Kenton Dechant, P.Eng.

2012 Dec 21