

Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Product Size: NPS 20 SCH 120 Production Date: December 5, 2012

Production Method: **Hot Expansion** Product Heat Treatment: As-rolled

Product:

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-0590

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: .BRI-STEEL MFG ASTM/ASME A/SA106 GR B A/SA53 GR B NPS 20 SCH 120 HEAT BSM-0590 (PIPE # LENGTH MASS) 296.41b/ft NDE SMLS NACE MR0175 2012/12 MADE IN CANADA.

			Product Detail	S						Non-E	estructive T	esting			
			Wall			Mass	Geiger	Res.Mag.	Visual		TU	TU	ET	-	lydroTest
Heat	Test Type	NPS	Thickness	Pieces	Length	lb/ft	μR/hr	Gauss	insp.	OD	TW	ASTM E213	ASTM E309		Î
BSM-0590	Heat	20	SCH 120	8	DRL	296.40	S	<20	Pass	Pass	Pass	Pass	Pass		*

38	0.60	66,700	40,100	Longitudinal; 0.5in. Round Bar	Pass	74	Ferrite & Pearlite	Heat	BSM-0590
%	(Rt0.5/Rm)	psi	psi	2 in. GL	Flattening Test	HRBW	Microstructure	Test Type	Heat
Elongation (A)	۲/۲	Tensile (Rm)	Yield (Rt0.5)	Tension Test		Hardness			
					Mechanical Properties	Mec			

Additional Details:

- meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012 and the purchase order requirements, and that the results $\checkmark~$ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1. \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- √ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark~$ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1

*Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Kenton Dechant, P.Eng. 2017 June 5

Manager of Quality and R&D