

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 www.brichemsteel.com Tel: 001 (780) 469-6603

Seamless Carbon Steel Pipe

Product Heat Number: BSM-0636

Product Size:

NPS 24 TRUE40

Production Date: January 4, 2013

Production Method:

Product Standards:

Hot Expansion

Product Heat Treatment: As-rolled

ASME B36.10-2004, API 5L-44th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Non-Destructive Testing	Product Details	

				_	_																
	RSM-0636	Heat				BSM-0636	Heat														
	Blast Furnace; EAF; Ladle Refining;	Steeln				Heat	Test Type														
	e; EAF; Ladle	Steelmaking Method				24	NPS		P												
						TRUE40	Thickness	Wall	Product Details												
	Heat	Analysis				15	Pieces		ils												
	0.20	0				DRL	Length														
	0.86	Mn				_	th														
	0.009	P				171.20	lb/ft	Mass													
	0.003	S		Chemical Analysis (wt%)		<5	μR/hr	Geiger													
	0.24	Si		Analysis (<20	Gauss	Res.Mag.													
	0.06	Cr		wt%)		_	SS	lag.													
	0.06	Cu				Pass	Insp.	Visual													
	0.01	Mo				Pass	OD		Nor												
	0.04	Z.				Pass	Υ.	UT	Non-Destructive Testing												
	1	<				SS	P	_	tive Tes												
	10	⊐			Pass	Pass	STM E213	TU	ting												
		Nb				Pass	ASTM E213 ASTM E309 1370 psi/5s Condition	ET													
	0.0003	В			Pass)9 1370 բ	HydroTest														
	t i	(IW)	CE																	si/5s	Test
		(CSA)	CE			Plain End	Condition	End	Į.												
1				_	ı l		_	_													

	BSM-0636 Heat	Heat		
	Heat	Test Type		
	Ferrite & Pearlite	Microstructure		
	74	HRBW	Hardness	
	Pass	Flattening Test		Mechar
Longitudinal; 38.1mm x WT	Transverse; 38.1mm x WT	50mm GL	Tension Test	Mechanical Properties
46,600	48,500	psi	Yield (Rt0.5)	
47,100	48,500	psi	Yield (Rp0.2)	
70,000	71,500	psi	Tensile (Rm)	
0.67	0.68	(Rt0.5/Rm)	Т/7	
56	50	%	Elongation (A)	

Vacuum Degas; Fully Killed

Product 0.20

0.85 | 0.009 | 0.017 | 0.23 | 0.04 | 0.11

0.01

0.06

0.001 | 0.001 | 0.0001 | 0.36

0.37

Additional Details:

and that the results meet the corresponding requirements. Inc. in accordance with API 5L-44th Ed., ASTM/ASME A/SA106-2011, A/SA53-2012 and the purchase order requirements ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

Mill Test Certificate approved by:

Service, and NACE MR0103-2010 Section 2.1. √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

No weld repairs have been performed on this product.

✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Kenton Dechant, P.Eng.

Manager of Quality and R&D 2013 Jan 18