

Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Fax: 001 (780) 469-6986 www.brichemsteel.com Tel: 001 (780) 469-6603

Product: Seamless Carbon Steel Pipe

Production Method:

Product Heat Number: BSM-0703

Product Size:

NPS 24 TRUE40

Production Date: February 12, 2013

Hot Expansion Product Heat Treatment: As-rolled

Product Standards: ASME B36.10-2004, API 5L-44th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: .BRI-STEEL MFG <API> SL-0898 API 5L GR B PSL1 ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 24 TRUE40 HEAT BSM-0703 (PIPE # LENGTH MASS) 171.21b/ft NDE 1370 PSI SMLS NACE MR0175 2013/02 MADE IN CANADA

			,			
		BSM-0703	Heat			
Chemical Analysis (wt%)		Heat	Test Type			
		24	NPS			
		TRUE40	Thickness	Wall	Product Details	
		2	Pieces		ls	
		DRL	Length			
		171.20	lb/ft	Mass		
		<5	μR/hr	Geiger		
		<20	Gauss	Res.Mag.		
		Pass	Insp.	Visual		
		Pass	OD		Non-E	
		Pass	WT	TU	Non-Destructive Testing	
		Pass	ASTM E213	TU	Testing	
		Pass	ASTM E309	ET		
		Pass	ASTM E213 ASTM E309 1370 psi/5s Condition	HydroTest		
		Plain End	Condition	End		

	BSM-0703	Heat				0.00	RSM-0703	Heat	
	Heat	Test Type				Vacuum Di	Blast Furnace;	Steelma	
	Ferrite & Pearlite	Microstructure				egas; Fully Killed	Blast Furnace; EAF, Ladle Refining;	Steelmaking Method	
	rlite	ıre				Product	Heat	Analysis	
	80	HRBW	Hardness			0.20	0		
						0.90	0.88	Mn	
	Pass	Flattening Test				0.017 0.008	0.016	P	
				0,008 0,008 Mechan	0.006	S			
Longitudi	Transver		T ₆	Mechanical Properties		0.29	0.28	Si	
Longitudinal; 38.1mm x WT	Transverse; 38.1mm x WT	50mm GL	Tension Test	rties		0.05	0.05	Ç	
nm x WT	ım x WT		st			0.05	0.04	Cu	
54,500	42,100	psi	Yield (Rt0.5)			0.01	0.01	Mo	
Ō	ō		0.5) Yi			0.02	0.02	Z.	
55,000	44,400	psi	Yield (Rp0.2) Tensile (Rm)			0.003	0.003	<	
73	72		?) Tensi			0.002	0.002	Ħ	
73,500	72,500	psi	le (Rm)			0.001	0.001	Nb	
0.74	0.58	(Rt0.5/Rm)	۲/۲			0.002 0.001 0.0001 0.37	0.0001	В	
	200	(ن	Elonga					(IIW)	CE
49	48	%	Elongation (A)			0.38	,	(CSA)	Œ

Additional Details:

and that the results meet the corresponding requirements. Inc. in accordance with API 5L-44th Ed., ASTM/ASME A/SA106-2011, A/SA53-2012 and the purchase order requirements, We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

Service, and NACE MR0103-2010 Section 2.1 √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

No weld repairs have been performed on this product.

√ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1. This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

Mill Test Certificate approved by:

2013 Reb 20

Manager of Quality and R&D Kenton Dechant, P.Eng.