

## Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-0808

Product Size:

NPS 20 SCH 100

April 4, 2013

Production Date:

Production Method: **Hot Expansion** 

Product Heat Treatment: As-rolled

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: .BRI-STEEL MFG ASTM/ASME A/SA106 GR B A/SA53 GR B NPS 20 SCH 100 1.281 inchWT HEAT BSM-0808 (PIPE # LENGTH MASS) 256.11b/ft NDE SMLS NACE MR0175 2013/04 MADE IN CANADA.

Plain End	*	Pass	Pass	Pass	Pass	Pass	<20	<b>S</b>	256.10	DRL	ш	NPS 20 SCH 100 1.281 in.WT	Heat	BSM-0808
Condition		ASTM E309	ASTM E213	TW	OD	insp.	Gauss	μR/hr	lb/ft	Length	Pieces	Product Size	Test Type	+
End	HydroTest	ET	UT	T		Visual	Res.Mag.	Geiger	Mass					
			esting	Destructive Testing	Non-D							Product Details		

	_		Т		_
	0000	BSM-0808	Heat		
	Vacuum Degas; Fully Killed	Blast Furnace; EAF; Ladle Refining;	Steelmaking Method		
	Product	Heat	Analysis		
	0.21	0.20	C		
	0.84	0.91	Mn		
	0.010	0.011	ס		
	0.84 0.010 0.015	0.011	S		Chemical Analysis (wt%)
	0.23	0.23	Si		Analysis
	0.04	0.05	Cr		(wt%)
Control of the Contro	0.06	0.05	Cn		
	0.01	0.01	Mo		
	0.04	0.05	N.		
	0.002		<		
	0.001	E	Ħ		
	0.001		Nb		
	0.0001	0.0003	В		
	0.37		(IIW)	Œ	
	0.37	-	(CSA)	30	

BSM-0808 Heat	Heat Test Type		
Ferrite & Pearlite	Microstructure		
72	HRBW	Hardness	
Pass	Flattening Test		Mechan
Longitudinal; 19.1mm x WT	50mm GL	Tension Test	Mechanical Properties
37,300	psi	Yield (Rt0.5)	
66,500	psi	Tensile (Rm)	
0.56	(Rt0.5/Rm)	Τ/Υ	
48	%	Elongation (A)	

	Test	Impact Test	Temp		Impact	Energy			% Shear	ear			Lateral Expansio	xpansion	
Heat	Standard	Sample Details	<u>°</u> C	J	_	J	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-0808	ı	1			L		•		ı	1	í	r	ľ	1	
				0											

## Additional Details:

- results meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, and that the ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1  $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- No weld repairs have been performed on this product.
- √ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \*Note that this product was hydrotested to 1000 psi for 5 seconds. √ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Manager of Quality and R&D Kenton Dechant, P.Eng.