

Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number: BSM-0832

Product Size:

NPS 20 SCH 60

Production Date:

April 11, 2013

Production Method: Hot Expansion

Product Standards:

Product Markings:

2013/04 MADE IN CANADA.

Product Heat Treatment: As-rolled

.BRI-STEEL MFG ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 20 SCH 60 0.812 inchWT HEAT BSM-0832 (PIPE # LENGTH MASS) 166.4lb/ft NDE SMLS NACE MR0175

ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

BSM-0832 Heat NPS 20 SC	Heat Test Type Pr		
NPS 20 SCH 60 0.812 in.WT	Product Size		Product Details
1	Pieces		
DRL	Length	3	
166.40	lb/ft	Mass	
<5	μR/hr	Geiger	
<20	Gauss	Res.Mag.	
Pass	Insp.	Visual	
Pass	OD		Non-D
Pass	TW	UT	estructive T
Pass	ASTM E213	TU	Testing
Pass	ASTM E309	ET	
*		HydroTest	
Plain End	Condition	End	

	BSM.	Ĭ		
	BSM-0832	Heat		
Vacuum Degas; Fully Killed	Blast Furnace; EAF; Ladle Refining;	Steelmaking Method	(6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	
Product	Heat	Analysis		
0.20	0.19	0		
0.91	0.90	Μ'n		
0.011	0.010	P		
0.91 0.011 0.004 0.30	0.003	S		Chemical Analysis (wt%)
0.30	0.30	Si		Analysis
0.05	0.05	Çr		(wt%)
0.06	0.06	Cu		
0.01	0.01	Mo		
0.02	0.02	Z.		
0.003	0.003	<		
0.002	0.002	⊒		
0.001	0.001	Nb		
0.0002	0.0003	В		
0.37	Е	(IW)	Œ	
0.38	r	(CSA)	CE	

				Mechan	Mechanical Properties				
			Hardness		Tension Test	Yield (Rt0.5)	Tensile (Rm)	٧/٢	Elongation (A)
Heat	Test Type	Microstructure	HRBW	Flattening Test	50mm GL	psi	ps:	(Rt0.5/Rm)	%
BSM-0832	Heat	Ferrite & Pearlite	78	Pass	Longitudinal; 38.1mm x WT	51,000	70,500	0.72	52

BSM-0832	Heat		
1	Standard	Test	
£	Sample Details	Impact Test	
,	Эē	Temp	
	_		
τ	_	Impact	
1	J	Energy	
ı	AVG		
r	%		
	%	% Shear	
1	%	ıear	
	AVG		
ï	mm		
t	mm	Lateral Expansion	
1	mm		
E	AVG		

Additional Details:

- results meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, and that the ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1. ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- No weld repairs have been performed on this product.
- This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- ✓ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- *Note that this product was hydrotested to 1000 psi for 5 seconds

Mill Test Certificate approved by:

2013Apr19

Manager of Quality and R&D Kenton Dechant, P.Eng.