

Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Product Heat Number: BSM-0910 Product Size: **NPS 20 SCH 60** Production Date: May 15, 2013

Production Method: Hot Expansion Product Heat Treatment: As-rolled

Product:

Seamless Carbon Steel Pipe

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: BRI-STEEL MFG ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 20 SCH 60 0.812 inchWT HEAT BSM-0910 (PIPE # LENGTH MASS) 166.4lb/ft NDE SMLS NACE MR0175 2013/05 MADE IN CANADA.

8	Т	_	Τ
BSM-0910	Heat		
Heat	lest Type		
NPS 20 SCH 60 0.812 in.WT	Product Size		Product Detail
22	Pieces		S
DRL	Length		
166.40	lb/ft	Mass	
S	μR/hr	Geiger	
<20	Gauss	Res.Mag.	
Pass	Insp.	Visual	
Pass	OD		Non-D
Pass	TW	UT	estructive)
Pass	ASTM E213	TU	Testing
Pass	STM E213 ASTM E309	ET	
*		HydroTest	
Plain End	Condition	End	

	CD)		Г			T
	BSM-0910		Heat			
Vacuum Degas; Fully Killed	Blast Furnace; EAF; Ladle Refining;		Steelmaking Method			
Product	Heat		Analysis			
0.20	0.20		0			
0.93	0.94		S			
0.011	0.010		Р			
0.008	0.006		s			Chemical Analysis (wt%)
0.23	0.23		<u>s</u>			Analysis
0.04	0.04		₽ Q			(wt%)
0.06	0.06		U.			
0.01	0.01		ĕ o			
0.03	,		Z.			
0.003			<			
0.001	1		=			
0.001	1		Z 5			
0.0001	0.0003		D			
0.37	1	1/	() ()	C	2	
0.38	1	1001	(CSA)	CE	2	

				iviechan	Mechanical Properties				
			Hardness		Tension Test	Yield (Rt0.5)	Tensile (Rm)	Т/4	Elongation (A)
Heat	Test Type	Microstructure	HRBW	Flattening Test	50mm GL	psi.	psi.	(Rt0.5/Rm)	%
BSM-0910	Heat	Ferrite & Pearlite	79	Pass	Longitudinal; 38.1mm x WT	47,100	74,000	0.64	48

	BSIM-09		Heat	•
	10 -		Standar	Test
			ard	
			Sample Details	Impact Test
	1		°C	Temp
			_	
			_	Impact
			_	Energy
	·		AVG	
	1		%	
			%	% Sh
	1		%	hear
	1		AVG	
	-		mm	
			mm	Lateral E
	ı		mm	xpansion
	1		AVG	

Additional Details:

- results meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, and that the ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1. ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- No weld repairs have been performed on this product.
- √ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- √ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

*Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Kenton Dechant, P.Eng.

Manager of Quality and R&D