

## Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Production Date: May 28, 2013

Production Method: Hot Expansion Product Heat Treatment: As-rolled Product:

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-0942

Product Size:

NPS 24 TRUE80

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: 2013/05 MADE IN CANADA. BRI-STEEL MFG ASTM/ASME A/SA106 GR B A/SA53 GR B NPS 24 TRUE80 1.219 inchWT HEAT BSM-0942 (PIPE # LENGTH MASS) 296.4Ib/ft NDE SMLS NACE MR0175

		Product Details	S						Non-D	Von-Destructive T	e Testing			Ř
					Mass	Geiger	Res.Mag.	Visual		TU	UΤ	ET	HydroTest	End
Heat	Test Type	Product Size	Pieces	Length	lb/ft	μR/hr	Gauss	lnsp.	OD**	TW	ASTM E213	ASTM E309		Condition
BSM-0942	Heat	NPS 24 TRUE80 1.219 in.WT	2	DRL	296.40	<b>S</b>	<20	Pass	Pass	Pass	Pass	Pass	*	Plain End

						Chemical	al Analysis (wt%	(wt%)									
																Œ	CE
Heat	Steelmaking Method	Analysis	С	Mn	Р	S	Si	<del>ر</del>	೮	Mo	Z.	<	Ⅎ	В	В	(E)	(CSA)
RSM-0947	Blast Furnace; EAF; Ladle Refining;	Heat	0.20	0.85	0.017	0.003	0.31	0.04	0.06	0.07	0.03	0.005	0.004	0.001	0.0002		ı
	Vacuum Degas; Fully Killed	Product	0.20	0.88	0.011	0.003	0.26	0.06	0.06	0.02	0.03	0.002	0.001	0.001	0.0001	0.37	0.38

BSM-0942 Heat	Heat Test Type		
Ferrite & Pearlite	Microstructure		
76	HRBW	Hardness	
Pass	Flattening Test		Mechar
Longitudinal; 19.1mm x WT	50mm GL	Tension Test	Mechanical Properties
44,800	psi	Yield (Rt0.5)	
67,000	psi	Tensile (Rm)	
0.67	(Rt0.5/Rm)	Υ/Τ	
52	%	Elongation (A)	

В	Γ	
SM-0942	Heat	
	Standard	Test
1	Sample Details	Impact Test
	Эē	Temp
,	_	
,	J	Impact
	_	Energy
ı	AVG	
	%	
1:	%	% Shea
	%	lear
	AVG	
ı	mm	
Ç	mm	Lateral Ex
	mm	Expansion
E	AVG	

## Additional Details:

- results meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, and that the We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1. This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- No weld repairs have been performed on this product.
- This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- \*Note that this product was hydrotested to 1000 psi for 5 seconds.
- \*\*OD Tolerances as per API5L

Mill Test Certificate approved by:

201326203

Assistant QA Manager Paul Sowden, T.T.