

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

NPS 20 TRUE80

Production Date: July 23, 2013

Product Heat Treatment: As-rolled Certificate No: 000197

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Production Method:

Hot Expansion

Product:

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1095

Product Size:

Product Markings: BRI-STEEL MFG ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 20 TRUE80 1.031 inchWT HEAT BSM-1095 (PIPE # LENGTH MASS) 208.9Ib/ft NDE SMLS NACE MR0175 2013/07 MADE IN CANADA.

		Product Details	5						Non-l	Non-Destructive	Testing			
					Mass	Geiger	Res.Mag.	Visual		TU	UT	ET	HydroTest	End
Heat	Test Type	Product Size	Pieces	Length	lb/ft	μR/hr	Gauss	insp.	8	₩T	ASTM E213	ASTM E309		Condition
BSM-1095	Heat	NPS 20 TRUE80 1.031 in.WT	1	DRL	208.90	<5	<20	Pass	Pass	Pass	Pass	Pass	*	Plain End

		18				Chemical Analysis (wt%)	l Analysis	(wt%)									- 1
												224				E	111
Heat	Steelmaking Method	Analysis	С	Mn	Р	S	Si	ر	5	Mo	Z.	<	∄	Мþ	В	(E)	<u>></u>
BSM-1095	Blast Furnace; EAF; Ladle Refining;	Heat	0.20	0.94	0.013 0.003	0.003	0.31	0.04	0.05	0.02	0.02	0.003	0.002	0.001	0.0003	τ	
1000	Vacuum Degas; Fully Killed	Product	0.19	0.93	0.016	0.004	0.30	0.05	0.07	0.02	0.03	0.004	0.002	0.001	0.0001	0.37	

_	Т		_
BSM-1095	Heat		
Heat	Test Type		
Ferrite & Pearlite	Microstructure		
74	HRBW	Hardness	
Pass	Flattening Test		Mechar
Longitudinal; 19.1mm x WT	50mm GL	Tension Test	Mechanical Properties
46,100	psi	Yield (Rt0.5)	
70,000	psi	Tensile (Rm)	
0.66	(Rt0.5/Rm)	Т/Л	
51	%	Elongation (A)	

BSM-1095	Heat	
1	Standard	Test
	Sample Details	Impact Test
ı	C	Temp
1	_	
,	L	Impact
	J	Energy
-	AVG	
	%	
	%	% Shear
	%	ear
-	AVG	
	mm	
	mm	ateral Exp
-	mm	pansion
1	AVG	

Additional Details:

Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, and that the $\checkmark~$ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

results meet the corresponding requirements.

Service, and NACE MR0103-2010 Section 2.1. √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

✓ No weld repairs have been performed on this product.

 \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

that this product was hydrotested to 1000 psi for 5 seconds. This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Kenton Dechant, P.Eng 296 Feb

Manager of Quality and R&D

*Note