

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Product Size:

NPS 20 STD

Production Date: July 25, 2013

BSM-1106

Product Heat Number:

Production Method: **Hot Expansion** Product Heat Treatment: As-rolled

Product:

Seamless Carbon Steel Pipe

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: BRI-STEEL MFG <API> 5L-0898 API 5L GR B PSL1 ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 20 STD 0.375 inchWT HEAT BSM-1106 (PIPE # LENGTH MASS) 78.6Ib/ft NDE 900 PSI SMLS NACE MR0175 2013/07 MADE IN CANADA.

BSM-1106 Heat	Heat Test Type		
t NPS 20 STD 0.375 in.W	ype Product Size		Product Details
1.WT 6	Pieces		Details
DRL	Length		
78.60	lb/ft	Mass	
S	μR/hr	Geiger	
<20	Gauss	Res.Mag.	
Pass	Insp.	Visual	
Pass	OD		Non-E
Pass	WT	TU	Destructive T
Pass	ASTM E213	TU	esting
Pass	ASTM E309	ET	
Pass	E309 900 psi/5s	HydroTest	
32.5° Bevel	Condition	End	

						Chemical	Chemical Analysis (wt%)	(wt%)									
	¥															CE	CE
Heat	Steelmaking Method	Analysis	0	Mn	Ъ	S	Si	Çŗ	Cu	Mo	Z.	<	#	Nb	В	(IIW)	(CSA)
RSM-1106	Blast Furnace; EAF; Ladle Refining;	Heat	0.19	0.92	0.010	0.009	0.25	0.04	0.07	0.01	0.04		Е	i.	0.0003	ı	1
i i	Vacuum Degas; Fully Killed	Product	0.20	0.92	0.010	0.010	0.25	0.04	0.07	0.01	0.03	0.004	0.001	0.001	0.0003	0.37	0.38

				Mechar	Mechanical Properties				
			Hardness		Tension Test	Yield (Rt0.5)	Tensile (Rm)	Υ/Τ	Elongation (A)
Heat	Test Type	Microstructure	HRBW	Flattening Test	50mm GL	psi	psi	(Rt0.5/Rm)	%
BSM-1106	Heat	Ferrite & Pearlite	74	Pass	Longitudinal; 38.1mm x WT	47,400	76,500	0.62	41
									The second secon

BSM-1106	Heat	
	Standard	Test
1	Sample Details	Impact Test
) O	Temp
	_	
1	٦	Impact
	J	Energy
·	AVG	
Е	%	
1	%	% Shea
1	%	ear
,	AVG	
1	mm	
	mm	Lateral Ex
1	mm	pansion
1	AVG	

Additional Details:

- and that the results meet the corresponding requirements. Inc. in accordance with API 5L-44th Ed., ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1. √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- No weld repairs have been performed on this product.
- This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- ✓ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2013 20131

Bomlin

Paul Sowden, T.T.

Assistant QA Manager