

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Production Date: July 25, 2013

Production Method: **Hot Expansion** Product Heat Treatment: As-rolled

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1108

Product Size:

NPS 20 STD

Product Standards: ASME B36.10-2004, API 5L-44th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Markings: BRI-STEEL MFG <API> 5L-0898 API 5L GR B PSL1 ASTM/ASME A/SA106 GR B/C A/SA53 GR B NPS 20 STD 0.375 inchWT HEAT BSM-1108 (PIPE # LENGTH MASS) 78.6lb/ft NDE 900 PSI SMLS NACE MR0175 2013/07 MADE IN CANADA.

<u></u>	Г	_	Т
BSM-1108	Heat		
Heat	Test Type		
NPS 20 STD 0.375 in.WT	Product Size		Product Detail
7	Pieces		S
DRL	Length		
78.60	lb/ft	Mass	
<5	μR/hr	Geiger	
<20	Gauss	Res.Mag.	
Pass	Insp.	Visual	
Pass	OD		Non-D
Pass	WT	TU	Destructive 1
Pass	ASTM E213	UT	esting
Pass	ASTM E309	ET	
Pass	900 psi/5s	HydroTest	
32.5° Bevel	Condition	End	

						Chemical .	Analysis (wt%)	(wt%)									
																CE	Œ
Heat	Steelmaking Method	Analysis	С	Mn	P	S	Si	Cr	Cu	Mo	Z.	<	=!	МР	В	(IW)	(CSA)
BSM-1108	Blast Furnace; EAF; Ladle Refining;	Heat	0.19	0.85	0.015	0.008	0.24	0.06	0.01	-	0.04	-	-	-	1	t	-
	Vacuum Degas; Fully Killed	Product	0.23	0.90	0.027	0.014	0.24	0.08	0.01	0.01	0.04	0.005	0.003	0.001	0.0003	0.40	0.41

	BSM-1108	Heat		
	Heat	Test Type		
	Ferrite & Pearlite	Microstructure		
	76	HRBW	Hardness	
	Pass	Flattening Test		Mechar
	Longitudinal; 38.1mm x WT	50mm GL	Tension Test	lechanical Properties
	44,100	psi	Yield (Rt0.5)	
	70,500	psi	Tensile (Rm)	
	0.63	(Rt0.5/Rm)	1/4	
S. S	43	%	Elongation (A)	

_	Г	
BSM-1108	Heat	
1	Standard	Test
Į.	Sample Details	Impact Test
1	Эē	Temp
t	J	
1	J	Impact
1	٦	Energy
1	AVG	
,	%	
1	%	% Shea
,	%	ear
ı	AVG	
,	mm	
1	mm	Lateral Ex
.1	mm	xpansion
	AVG	

Additional Details:

and that the results meet the corresponding requirements. Inc. in accordance with API 5L-44th Ed., ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

Service, and NACE MR0103-2010 Section 2.1. √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

No weld repairs have been performed on this product.

This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.

This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Bomblen 20/3 201 3/

Paul Sowden, T.T. Assistant QA Manager