

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product Size: **NPS 18 TRUE80**

Production Date: August 8, 2013

BSM-1147

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Heat Treatment: As-rolled

Product Heat Number:

Production Method:

Hot Expansion

Product:

Seamless Carbon Steel Pipe

Product Markings: BRI-STEEL MFG ASTM/ASME A/SA106 GR B A/SA53 GR B NPS 18 TRUE80 0.94 inchWT HEAT BSM-1147 (PIPE # LENGTH MASS) 170.81b/ft NDE SMLS NACE MR0175 2013/08 MADE IN CANADA.

æ	Γ		Τ
BSM-1147			
Heat	Test Type		
NPS 18 TRUE80 0.94 in.WT	Product Size		Product Details
2	Pieces		5
DRL	Length		
170.80	lb/ft	Mass	
ŝ	µR/hr	Geiger	
<20	Gauss	Res.Mag.	
Pass	insp.	Visual	
Pass	OD**		Non-l
Pass	TW	TU	Non-Destructive
Pass	ASTM E213	TU	e Testing
Pass	ASTM E309	ET	
 *		HydroTest	
Plain End	Condition	End	

		BSM-1147			
	Vacuum Degas; Fully Killed	Bla			
	Product	Heat	Analysis		
	0.19	0.20	0		
	0.92	0.94	Mn		
	0.015	0.012	P		
	0.004	0.012 0.002	S		Chemical
	0.92 0.015 0.004 0.30 0.06	0.29	Si		Chemical Analysis (wt%)
	0.06	0.05	ণ		(wt%)
	0.08	0.07	5		
The second of the second secon	0.01	0.01	Mo		
	0.03	0.00	Z		
Contract of the Contract of th	0.003	0.002	<		
	0.002	0.002	Ti		
	0.001	0.001	Nb		
-	0.0002	0.0002	8		
	0.37	-	(IIW)	Œ	
	0.37		(CSA)	Œ	

				Mechan	Mechanical Properties				
			Hardness		Tension Test	Yield (Rt0.5)	Tensile (Rm)	1/4	Elongation (A)
Heat	Test Type	Microstructure	HRBW	Flattening Test	50mm GL	psi:	psi	(Rt0.5/Rm)	%
BSM-1147 Heat	Heat	Ferrite & Pearlite	77		Longitudinal; 38.1mm x WT	51,000	69,000	0.74	53

BSM-114/		Heat	
1		Standard	Test
		Sample Details	Impact Test
		Š	Temp
		_	
1		_	Impact
,		_	Energy
		AVG	
,	-	%	
r		%	% Shea
E		%	ıear
r		AVG	
i	44444	m m	
		m m	Lateral E
Е		mm	l Expansion
t	1110	AVG	

Additional Details:

results meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2012, and the purchase order requirements, and that the We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

Service, and NACE MR0103-2010 Section 2.1. ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

No weld repairs have been performed on this product.

This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

 \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

*Note that this product was hydrotested to 1000 psi for 5 seconds.

**OD Tolerances as per API

Mill Test Certificate approved by:

Paul Sowden, T.T. Bonden

Assistant QA Manager