

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc. Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Product: Seamless Carbon Steel Pipe Product Heat Number: BSM-1193 Product Size: 18 STD Production Date: Aug 28, 2013

Production Method:

Product Standards: ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 **Hot Expansion Product Heat Treatment:** As-rolled Certificate No.: MTR- 000030

Product Markings | API > STEEL | <API > 5L-0898 API SPEC 5L NPS 18 STD 0.375 INCHWT GR B PSL1 SMLS 2013/08 NDE 1000PSI AND SAME IN CANADA WILLIAM STATES AND STATES AND SAME ALIGATION OF THE SAME AND SAME ALIGATION OF THE SAME AND SAME AND

		П
	Heat	
	Test Type	
	Product Size	Product: Details
	Pieces	
	Length	
lb/ft	Mass	
μR/hr	Geiger	
Gauss	Res. Mag.	
Insp.	Visual	
	OD	No
WT	TU	n-Destruct
ASTM E213	UT	Non-Destructive Testing
ASTM E309	曰	
1000PSI/ 5	HydroTest	
ASTM E213 ASTM E309 1000PSI/ 5s Condition	End	

BSM-1193

Heat

NPS 18 STD 0.375in. WT

16

DRL

70.59

ŝ

ŝ

Pass

Pass

Pass

Pass

Pass

Pass

34° Bevel

	BSM-1193	Heat	
cegas, anny senere	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		
Product 0.22	Heat	Test Type	
0.22	0.22	С	
0.86	0.87	Mn	
0.011		ס	
0.011 0.014	0.011 0.015 0.22	S	Chemical
0.23	0.22	Si	Chemical Analysis (wt%)
0.06	0.06	Cr	wt%)
0.09	0.08	Cu	
0.01	0.01	Mo	
0.06	0.07	N:	
0.002	1	٧	
0.001	1	Ті	
0.001		Nb	
0.0003	0.0004	В	
0.39	1	CE(IIW)	
0.39		CE(CSA)	

Heat Test Type Microstructure Hardness Flattening Test 50mm GL psi psi (Rt0.5/Rm) 47 Elongation (A) BSM-1193 Heat Ferrite & Pearlite 78 HRBW Pass Longitudinal; 38.1 mm x WT 45,700 72,500 0.63 40	BSN			Γ
Microstructure Hardness Flattening Test Tension Test Yield (Rt0.5) Tensile (Rm) Y/T Elong Ferrite & Pearlite 78 HRBW Pass Longitudinal; 38.1 mm x WT 45,700 72,500 0.63	И-1193		Heat	
Hardness Flattening Test Tension Test Yield (Rt0.5) Tensile (Rm) Y/T Elong 50mm GL psi psi (Rt0.5/Rm) 78 HRBW Pass Longitudinal; 38.1 mm x WT 45,700 72,500 0.63	Heat		Test Type	
Flattening Test Tension Test Yield (Rt0.5) Tensile (Rm) Y/T Elong Somm GL psi psi (Rt0.5/Rm) Pass Longitudinal; 38.1 mm x WT 45,700 72,500 0.63	Ferrite & Pearlite		Microstructure	
Tension Test Yield (Rt0.5) Tensile (Rm) Y/T Elong 50mm GL psi psi (Rt0.5/Rm) Longitudinal; 38.1 mm x WT 45,700 72,500 0.63	78 HRBW		Hardness	
Test Yield (Rt0.5) Tensile (Rm) Y/T Elong GL psi psi (Rt0.5/Rm) 1 mm x WT 45,700 72,500 0.63	Pass		Flattening Test	2000
Rt0.5) Tensile (Rm) V/T Elong si psi (Rt0.5/Rm) 700 72,500 0.63	×	50mm GL	Tension Test	Mechanical Properties
η) Y/T Elong (Rt0.5/Rm)	45,700	psi	Yield (Rt0.5)	
Elong	72,500	psi	Tensile (Rm)	
Elongation (A) %	0.63	(Rt0.5/Rm)	Υ/Τ	
	40	%	Elongation (A)	

Bč	Г		
3SM-1193		Heat	
ı	Standard	Test	
i	Sample Details	Impact Test	
ı	ကိ	Temp	
-	J		
	J	Impact	
	J	Energy	
	AVG		
1	%		
	%	% Shear	
1	%	near	
1	AVG		
1	mm		
•	mm	Lateral Expans	
-	mm	pansion	
	AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

0/3 SEP 0

Assistant QA Manager Paul Sowden, T.T.