

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc. Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Production Method:

**Hot Expansion** 

Product Heat Number:

BSM-1195

Product Size: 18 SCH 100

Production Date:

Certificate No.: MTR- 000033 Aug 28, 2013

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Heat Treatment:

As-rolled

Product Markings **BRI-STEEL** NPS 18 SCH 100 1.156 INCHWT SMLS 2013/08 NDE

MEAT BSM-1195 (PIPE # LENGTH MASS) 2081b/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	The second secon													
Plain End	*	Pass	Pass	Pass	Pass	Pass	< 20	<5	208	DRL	7	NPS 18 SCH 100 1.156in. WT	Heat	BSM-1195
Condition		ASTM E309	ASTM E213 ASTM E309	WT		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest	ET	TU	TU	OD	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			Non-Destructive Testing	າກ-Destruct	No							Product: Details		
														The Party of the P

		BSM-1195	Heat	
	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Steelmaking Method	
	Product	Heat	Test Type	
1000	0.21	0.19	С	
	0.93	0.90	Mn	
1000000	0.93 0.014 0.005 0.29	0.90 0.016 0.007	Р	
	0.005	0.007	S	Chemical Analysis (wt%
	0.29	0.28	Si	Analysis (
300000	0.04	0.06	Cr	wt%)
	0.06	0.07	Cu	
	0.01	0.01	Mo	
	0.03	0.03	Ni	
	0.004	0.003	٧	
	0.003	0.002	Ti	
	0.001	0.001	dN	
	0.0002	0.0004	В	
	0.38	1	CE(IIW)	
	0.38	40	CE(CSA)	

BSM-1195		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
74 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
41,700	psi	Yield (Rt0.5)	
67,000	psi	Tensile (Rm)	
0.62	(Rt0.5/Rm)	Υ/Τ	
55	%	Elongation (A)	

B	Ι	
BSM-1195		Heat
ı	Standard	Test
	Sample Details	Impact Test
ı	ಗೆ	Temp
	J	
	J	Impact E
•	J	Energy
	AVG	
ŧ	%	
1	%	% Shear
1	%	ear
1	AVG	
ı	mm	
1	mm	Lateral Ex
1	mm	cpansion
	AVG	

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2011 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- \* Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Manager of Quality and R&D Kenton Dechant, P.Eng.

2013 Sept 5