

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 www.brichemsteel.com Tel: 001 (780) 469-6603

Product: Seamless Carbon Steel Pipe

Product Heat Number:

Product Size: 18 SCH 100

BSM-1202

Production Date: Sep 02, 2013

Production Method: Hot Expansion

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 000025

Product Markings

Product Standards:

AND SALES OF BRIDGE HEAT BSM-1202 (PIPE # LENGTH MASS) 2081b/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-1202		Heat		
	Heat		Test Type		
	NPS 18 SCH 100 1.156in. WT		Product Size	Product: Details	
	1		Pieces		
	DRL		Length		
	208	lb/ft	_		
	<5	μR/hr	Geiger		
	< 20	Gauss	Res. Mag.		
	Pass	Insp.	Visual		
100 March 200 Ma	Pass	10	OD	No	
	Pass	WT	TU	Non-Destructive Testin	
	Pass	ASTM E213 ASTM E309	TU	ive Testing	
200	Pass	ASTM E309	ET		
	*		HydroTest		
	Plain End	Condition	End		

J								- Constitution of the last						The second secon	200		
0.0003 0.39	0.0003	_	0.001	0.002	0.003	0.03	0.01	0.08	0.05	0.29	0.89 0.008 0.008 0.29	0.008	0.89	0.22	Product	Cogos, runy Ninco	
0.0002 -	0.0002		0.001	0.002	0.001	0.02	0.01	0.06	0.07	0.29	0.008 0.004	0.008	0.98	0.19	Heat	Blast Furnace; EAF; Ladle Refining; Vacuum	BSM-1202
B CE(IIV	В		Мb	T	<	N.	Mo	Cu	Cr	Si	S	Р	Mn	С	Test Type	Steelmaking Method	Heat
									wt%)	Analysis (Chemical Analysis (wt%)						

BS	Г	_	Γ
BSM-1202		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
75 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
45,000	psi	Yield (Rt0.5)	
70,000	psi	Tensile (Rm)	
0.64	(Rt0.5/Rm)	Υ/Τ	
50	%	Elongation (A)	

В		_
BSM-1202		Heat
r	Standard	Test
ï	Sample Details	Impact Test
ı	റ്	Temp
,	_	
1	J	Impact
-	J	Energy
1	AVG	
E	%	
1	%	% Sh
-	%	Shear
1	AVG	
E	mm	
1	mm	Lateral Expansio
	mm	pansion
	AVG	

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in results meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

2013 Sapt 5

Manager of Quality and R&D Kenton Dechant, P.Eng.