

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1207 Product Size: 18 STD

Production Date: Sep 03, 2013

Product Heat Treatment: As-rolled

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 000034

Product Markings

Product Standards:

Production Method:

Hot Expansion

BRI-STEEL <API> 5L-0898 API SPEC 5L NPS 18 STD 0.375 INCHWT GR B PSL1 SMLS 2013/09 NDE 1000PSI

Heat Test Type MADE IN CANADA (PIPE # LENGTH MASS) 70.59Ib/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA **Product Size** Product: Details Pieces Length Res. Mag. Visual OD Non-Destructive Testing 円

BSM-1207			Γ		BSM		Heat	
		1			BSM-1207			
Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Ste			Heat		Test Type	
		Steelmaking Method			NPS 18 STD 0.375in. WT		Product Size	
Product	Heat	Test Type			WT		P.	
0.22	0.20	C			3		Pieces	
0.90	0.91	Μ'n			DRL		Length	
0.22 0.90 0.010 0.010 0.25	0.009	ס			70.59	lb/ft	Mass	
0.010	0.007 0.24	S	Chemical Analysis (wt%)		<5	μR/hr	Geiger	
0.25	0.24	Si	nalysis (v			\vdash		
0.07	0.06	Cr	vt%)		< 20	Gauss	Res. Mag.	
0.09	0.09	Cu			Pass	Insp.	Visual	
0.01	0.01	Mo			Pass		00	
0.06	0.06	Z:			Pass	WT	5	
0.002	3	<			Pass	ASTM E2	5	
0.001	1	Ti			P	13 ASTN		
0.001		Nb			Pass	И E309	甲	
0.0002 0.40 0.40	0.0004	В			Pass	ASTM E213 ASTM E309 1000PSI/ 5s Condition	HydroTest	
0.40	ı	CE(IIW)			3	5s C	st _	
0.40		CE(IIW) CE(CSA)			34° Bevel	ondition	End	

BSM-1207		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
76 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
44,600	psi	Yield (Rt0.5)	
73,000	psi	Tensile (Rm)	
0.61	(Rt0.5/Rm)	۲/۲	
42	%	Elongation (A)	

	В			
	BSM-1207		Heat	
	,	Standard	Test	
	ı	Sample Details	Impact Test	
	ı	ာိင	Temp	
		_		
	ì	_	Impact	
	1	J	Energy	
	1	AVG		
		%		
	-	%	% Shear	
	-	%	ear	
	1	AVG		
		mm		
	i.	mm	Lateral Ex	
	L	mm	l Expansion	
	т	AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements and that the results meet the corresponding requirements.
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Bouler 2013SEP 06

Assistant QA Manager Paul Sowden, T.T.