

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603 www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1227

Product Size: 20 XS

Production Date: Sep 09, 2013

Production Method: **Hot Expansion**

Product Heat Treatment: As-rolled

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 000485

Product Markings

Product Standards:

| API - STEEL | API - 5L-0898 API SPEC 5L NPS 20 XS 0.500 INCHWT GR B PSL1 SMLS 2013/09 NDE 1200PSI

TEATURE SERVER HEAT BSM-1227 (PIPE # LENGTH MASS) 104.11b/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSM-1227 Heat NPS 20 XS		Heat Test Type Prod	P
NPS 20 XS 0.500in. WT		Product Size	Product: Details
5		Pieces Length	
DRL		Length	
104.1	lb/ft	Mass	
< 5	μR/hr	Geiger	
< 20	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	No
Pass	WT	TU	on-Destruct
Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
Pass		ET	
Pass	1200 PSI/ 5 s Condition	HydroTest	
32.5° Bevel	Condition	End	

0.01 0.04 0.002	BSM-1227 Blast Furnace; EAF; Ladle Refining; Vacuum Heat 0.19 0.90 0.010 0.012 0.23 0.10 0.08 0.03 0.04 0.001 0.001	Heat Steelmaking Method Test Type C Mn P S Si Cr Cu Mo Ni V Ti	Chemical Analysis (wt%)
0.08 0.01 0.04 0.00	0.03 0.04	Mo	
0.001 0.001 0.0002 0.37 0.37		Ti Nb B CE(IIW) CE(CSA)	

BSM-1227		Heat	
27			
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
75 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
42,200	psi	Yield (Rt0.5)	
70,500	psi	Tensile (Rm)	
0.60	(Rt0.5/Rm)	۲/۲	
45	%	Elongation (A)	

ı	. 1	ī	i	i.	
J	J AVG % %	J AVG % % AVG	% %	% % % AVG	% % % AVG mm
nergy	nergy % Sh	nergy % Shear	nergy %Shear	_	nergy % Shear Lateral Expansion

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API SL-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements and that the results meet the corresponding requirements.
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2013 SET 01 ie Bouden

Paul Sowden, T.T.

Assistant QA Manager