

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1231 Product Size: 20 XS

Production Date: Sep 10, 2013

Production Method: Hot Expansion

As-rolled

Certificate No.: MTR- 000438

Product Standards:

Product Heat Treatment:

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

**Product Markings** | API> 5L-0898 API SPEC 5L NPS 20 XS 0.500 INCHWT GR B PSL1 SMLS 2013/09 NDE 1200PSI HEAT BSM-1231 (PIPE # LENGTH MASS) 104.11b/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-1231		Heat	
	Heat		Test Type	
	NPS 20 XS 0.500in. WT		Product Size	Product: Details
	2		Pieces	
	DRL		Length	
	104.1	lb/ft	Mass	
	<del>ئ</del>	μR/hr	Geiger	
	S	Gauss	Res. Mag.	TO ACCUMANTAL OF THE PARTY OF T
	Pass	Insp.	Visual	33000
	Pass		8	z
-	1	WT	T	on-Destruc
	Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
	1	ASTM	ET	
	Pass	1200 PSI/ 5 s Condition	HydroTest	
	34° Bevel	Condition	End	

	_		_	_
		BSM-1231	Heat	
	populari minor	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
	Product	Heat	Test Type	
	0.23	0.19	C	
	0.91	0.85	Mn	
	0.026	0.016	P	
	0.018	0.012	S	Chemical Analysis (wt%)
	0.24	0.24	Si	Analysis (
	0.08	0.06	Cr	wt%)
	0.01	0.01	Cu	
	0.01		Mo	
	0.04	0.04	Ni	
			٧	
	0.003		П	
	0.001		Nb	
000000	0.0003		В	
	0.40	,	CE(IIW)	
	0.40	T	CE(CSA)	
		Product 0.23 0.91 0.026 0.018 0.24 0.08 0.01 0.01 0.04 0.004 0.003 0.001 0.0003 0.40	0.06 0.01 0.04 -   0.08 0.01 0.04 0.004 0.003 0.001 0.0003 0.40	Steelmaking Method     Test Type     C     Mn     P     S     Si     Cr     Cu     Mo     Ni     V     Ti     Nb     B     CE(IIW)       Blast Furnace; EAF; Ladle Refining; Vacuum     Heat     0.19     0.85     0.016     0.012     0.24     0.06     0.01     0.04     0.04     0.003     0.001     0.0003     0.40       Degas; Fully Killed     Product     0.23     0.91     0.026     0.018     0.24     0.08     0.01     0.01     0.004     0.003     0.001     0.0003     0.40

	-	_		Г
	BSM-1231		Heat	
	Heat		Test Type	
	Ferrite & Pearlite		Microstructure	
	78 HRBW		Hardness	
	Pass		Flattening Test	
	Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
	43,100	psi	Yield (Rt0.5)	
	72,000	psi	Tensile (Rm)	
0.0000000000000000000000000000000000000	0.60	(Rt0.5/Rm)	1/4	
	42	%	Elongation (A)	

<u> </u>	_		
BSM-1231		Heat	
.1	Standard	Test	
1	Sample Details	Impact Test	
-	ငိ	Temp	
1	_		
	J	Impact	
ı	_	Energy	
	AVG		
	%		
ı	%	% Shear	
ı	%	ear	
ų	AVG		
1	mm		
1	mm	Lateral Ex	
ı	mm	Expansion	
ı	AVG		

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2013 Sept 17

Kenton Dechant, P.Eng. Manager of Quality and R&D