

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1244 Product Size: 20 XS

Production Date: Sep 12, 2013

Production Method: Hot Expansion

> Product Heat Treatment: As-rolled

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 000454

Product Standards:

| API > STEEL | <API > 5L-0898 API SPEC 5L NPS 20 XS 0.500 INCHWT GR B PSL1 SMLS 2013/09 NDE 1200PSI

Product Markings ENDEADE MADE IN CANADA MEAT BSM-1244 (PIPE # LENGTH MASS) 104.1lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

Product: Details Heat Test Type Product Size Pieces Length Mass Geiger Res. Mag. Visual BSM-1244 Heat NPS 20 XS 0.500in. WT 8 DRL 104.1 <5 <5 Pass			1	-											
Product: Details Test Type Product Size Pieces Length Mass Geiger Res. Mag. \ Ib/ft μR/hr Gauss	Pass - Pass	1	1	1	٠.	Pass	Pass	~ 5	ŝ	104.1	뭐	∞	NPS 20 XS 0.500in. WT	Heat	8SM-1244
Product: Details Test Type Product Size Pieces Length Mass Geiger Res. Mag. \	WT ASTM E213 ASTM 1200 PSI/ 5 s Condition		WT ASTM E213	WT			Insp.	Gauss	μR/hr	lb/ft					
Product: Details	OD UT UT ET HydroTest	UT UT	DD UT UT	TU do	B	_	Visual	Res. Mag.	Geiger	Mass		Pieces		Test Type	Heat
	Non-Destructive Testing	Non-Destructive Testing	Non-Destructive Testing	Non-Destruct	Z								Product: Details		

		BSM-1244	Heat	
	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Steelmaking Method	
	Product	Heat	Test Type	
	0.22	0.19	C	
	0.89	0.82	Mn	
	0.018 0.014	0.015	Р	
	0.014	0.013	S	Chemical Analysis (wt%)
-	0.27	0.26	Si	Analysis (
-	0.07	0.06	Cr	wt%)
	0.01	0.01	Cu	
	0.01		Mo	
	0.04	0.04	N:	
	0.003		٧	
	200.0		Π	
	0.001		dN	
	0.0003		В	
	0.39	1	CE(IIW)	
	0.39	1	CE(CSA)	

		_		_
	BSM-1244		Heat	
	Heat		Test Type	
	Ferrite & Pearlite		Microstructure	
	76 HRBW		Hardness	
	Pass		Flattening Test	
	Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
	42,900	psi	Yield (Rt0.5)	
200	72,500	psi	Tensile (Rm)	
	0.59	(Rt0.5/Rm)	Т/А	
	44	%	Elongation (A)	

BSM-1244		Heat
	Standard	Test
1	Sample Details	Impact Test
1	°C	Temp
	J	
ı	J	Impact
r	ب	Energy
1	AVG	
E	%	
	%	% Shear
	%	near .
1	AVG	
i.	mm	
1	mm	Lateral Expansion
-	mm	pansion
1	AVG	

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in and that the results meet the corresponding requirements accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements,
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2013 SEP 18 Souder

Paul Sowden, T.T.

Assistant QA Manager