

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number:

BSM-1254 Product Size: 20 XS

Production Date: Sep 17, 2013

Product Heat Treatment: As-rolled

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 000458

Product Markings

Product Standards: Production Method:

| API | STEEL | API | 5L-0898 API SPEC 5L NPS 20 XS 0.500 INCHWT GR B PSL1 SMLS 2013/09 NDE 1200PSI MANDER MEAT BSM-1254 (PIPE # LENGTH MASS) 104.1lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSM-1254		Heat	
Heat		Test Type	
NPS 20 XS 0.500in. WT		Product Size	Product: Details
6		Pieces	
DRL		Length	
104.1	lb/ft	Mass	
OK	μR/hr	Geiger	
<5	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	Z
Pass	WT	TU	Non-Destructive Testing
Pass	ASTM E213 ASTM	UT	ive Testing
Pass	ASTM	ET	
Pass	1200 PSI/ 5	HydroTest	
34° Bevel	5 _s Condition	End	

5/7		BSM-1254	Heat	
	4 Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Steelmaking Method	
	Product	Heat	Test Type	
	0.22	0.19	С	
	0.91	0.84	Mn	
	720.0	0.017	Р	
	0.91 0.027 0.015	0.015	S	Chemical Analysis (wt%)
	0.24	0.23	Si	Analysis (
	0.08	0.08	Cr	wt%)
	0.01	0.01	Cu	
	0.01		Mo	
	0.04	0.04	Ni	
	0.004		٧	No. of Control of Control
	0.003		Ti	
	100.0		dN	
	0.0002		В	
	0.39	-	CE(IIW)	9
	0.39	s t	CE(CSA)	

	BSM-1254		Heat	
	Heat		Test Type	
	Ferrite & Pearlite		Microstructure	
30000	78 HRBW		Hardness	
155 127(1517) 120(150(150(150))	Pass		Flattening Test	
	Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
Company of the Compan	44,700	psi	Yield (Rt0.5)	
Section of the latest designation of the lat	74,500	psi	Tensile (Rm)	
Sec. 100 100 100 100 100 100 100 100 100 10	0.60	(Rt0.5/Rm)	Υ/Τ	
The second secon	45	%	Elongation (A)	

BSM-1254		Heat	
	Standard	Test	
	Sample Details	Impact Test	
ř.	°C	Temp	
10	J		
1	ſ	Impact Energ	
0	J	Energy	
Ĺ	AVG		
ř	%		
t	%	% Shear	
·	%	hear	
K	AVG		
	mm		
-	mm	Lateral Expansion	
i.	mm		
	AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

38 om den 2013 SEP 30

Paul Sowden, T.T.

Assistant QA Manager