

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1271 Product Size: 16 XS

Production Date:

Sep 24, 2013

Production Method: **Hot Expansion** 

Product Heat Treatment: As-rolled

Certificate No.: MTR- 000473

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

**Product Markings** 

Product Standards:

API> 5L-0898 API SPEC 5L NPS 16 XS 0.500 INCHWT GR B PSL1 SMLS 2013/09 NDE 1500PSI

BSM-1271		Heat	
Heat		Test Type	
NPS 16 XS 0.500in. WT		Product Size	Product: Details
2		Pieces	
DRL		Length	
82.77	lb/ft	Mass	200000
<b>5</b>	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	No
Pass	WΤ	ΤU	Non-Destructive Testin
Pass	ASTM E213 ASTM	TU	ive Testing
Pass		ET	
Pass	1500 PSI/ 5 s Condition	HydroTest	
34° Bevel	Condition	End	

_	Ш	Т	
BSM-1271		Heat	
Cegas, rully silled	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.22	0.19	С	
0.96	0.94	Mn	
0.011	0.010	þ	
0.005	0.004	S	Chemical ,
0.26	0.25	Si	Analysis (wt%)
0.03	0.03	Cr	wt%)
0.09	0.07	Сп	
0.02	0.01	Mo	
0.04	0.04	N:	
0.003		<	
0.001		Ti	
0.001		dN	
0.0001	0.0005	В	
0.40	1	S	
0.40	1	CE(CSA)	
	Product 0.22 0.96 0.011 0.005 0.26 0.03 0.09 0.02 0.04 0.003 0.001 0.001 0.0001 0.40	Heat         0.19         0.94         0.010         0.004         0.25         0.03         0.07         0.01         0.04         0.001         0.0005         -           Product         0.22         0.96         0.011         0.005         0.26         0.03         0.09         0.02         0.04         0.003         0.001         0.001         0.0001         0.40	Steelmaking Method   Test Type   C   Mn   P   S   Si   Cr   Cu   Mo   Ni   V   Ti   Nb   B   CE(IIV)

В	Т	_	Т
BSM-1271		Heat	100 0000
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
77 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
43,500	psi	Yield (Rt0.5)	
73,500	psi	Tensile (Rm)	
0.59	(Rt0.5/Rm)	۲/۲	
46	%	Elongation (A)	

	BSN			
	BSM-1271		Heat	
	1	Standard	Test	
		Sample Details	Impact Test	
	•	°C	Temp	
	ı	_		
		_	Impact	
	1	J	Energy	
1000000		AVG		
- 100 COC 000	-	%		
550000	ı	%	% Shear	
Section 20	3	%	ear	
100	•	AVG		
Company of the Co.	-	mm		
The second secon	1	mm	Lateral Ex	
The second secon		mm	xpansion	
	1	AVG		

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

20135EP 30

Assistant QA Manager Paul Sowden, T.T.