

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Seamless Carbon Steel Pipe

**Product Heat Number:** 

BSM-1293

Product Size: 18 XS

Production Date: Oct 04, 2013

Production Method: Hot Expansion

Product Standards:

Product Heat Treatment:

As-rolled

Certificate No.: MTR- 000501

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

**Product Markings** (API) 5L-0898 API SPEC 5L NPS 18 XS 0.500 INCHWT GR B PSL1 SMLS 2013/10 NDE 1300PSI HEAT BSM-1293 (PIPE # LENGTH MASS) 93.45Ib/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

Product: Details       Non-Destructive Testing         Product Size       Pieces       Length       Mass       Geiger       Res. Mag.       Visual       OD       UT       UT       ET         NPS 18 XS 0.500in. WT       2       DRL       93.45       <5       <10       Pass       Pass       Pass       Pass       Pass       Pass	١														
Product: Details  Product Size  Pieces  Piece	34° Beve	Pass	Pass	Pass	Pass	Pass	Pass	<10	<5	93.45	DRL	2	NPS 18 XS 0.500in. WT	Heat	BSM-1293
Product: Details  Non-Destructive Testing  Product Size  Pieces  Length  Mass  Geiger  Res. Mag.  Visual  OD  UT  ET  HydroTest	(6)	1300PSI/ 5:		ASTM E213	WT		Insp.	Gauss	μR/hr	lb/ft					
	End	HydroTest	町	q	П	00	Visual	Res. Mag.	Geiger	Mass		Pieces		Test Type	Heat
				tive Testing	on-Destruct	No							Product: Details		

	BSM-1293	Heat	
Copy, 1 only Mileo	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.23	0.19	С	
0.92	0.84	Mn	
0.030	0.017	P	
0.92 0.030 0.014	0.017 0.015	S	Chemical
0.28	0.23	Si	Chemical Analysis (wt%)
0.08	0.08	Cr	wt%)
0.01	0.01	Cu	
0.01		Мо	
0.04	0.04	N.	
0.003		٧	
0.002		ΙΙ	
0.001		Мb	
0.0001		В	
0.40	1	CE(IIW)	
0.40	1	CE(CSA)	

44	0.61	/3,500	45,100	rongitudinai; 38.1 mm x w i	Pass	OL TRBVV	refilte & Fedille	пеас	CC7T-IAICG
	2	72 500	15 100		7	81 HRBW	Formito 9 Donalito	Lloa+	DCM 1702
%	(Rt0.5/Rm)	psi	psi	50mm GL					
Elongation (A)	Υ/Τ	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
				Mechanical Properties					

	BSM-1293		Heat
	293		at
	1	Standard	Test
		Sample Details	Impact Test
	1	°C	Temp
		J	
	-	J	Impact
	1	J	Energy
	= 1	AVG	
Andrew Commission of the Commi	1	%	
	·	%	% Sh
	•	%	Shear
	a te	AVG	
	818	mm	
	t	mm	Lateral Ex
0.000	ι	mm	(pansion
034-02-00-00	,	AVG	

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

88 auter 2013 OCT 18

Paul Sowden, T.T.

Assistant QA Manager