

Product:

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Seamless Carbon Steel Pipe Product Heat Number: BSM-1296 Product Size: 18 XS Production Date: Oct 07, 2013

Production Method: **Hot Expansion** Product Heat Treatment: As-rolled Certificate No.: MTR- 000504

Product Standards: ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

**Product Markings** | API - STEEL | API > 5L-0898 API SPEC 5L NPS 18 XS 0.500 INCHWT GR B PSL1 SMLS 2013/10 NDE 1300PSI

MADE IN CANADA HEAT BSM-1296 (PIPE # LENGTH MASS) 93.45Ib/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-1296		Heat	
	Heat		Test Type	
	NPS 18 XS 0.500in, WT		Product Size	Product: Details
	6		Pieces	
	DRL		Length	
	93.45	lb/ft	Mass	
	ራ	μR/hr	Geiger	
	<10	Gauss	Res. Mag.	
	Pass	Insp.	Visual	877.0
	Pass		00	Z
AND	Pass	TW	TU	Non-Destructive Testing
The state of the s	Pass	ASTM E213 ASTM	TU	tive Testing
	Pass		ET	
	Pass	1300 PSI/ 5 s	HydroTest	
	34° Bevel	5 <sub>s</sub> Condition	End	

1		BSM		Γ
		BSM-1296	Heat	
	מהקפט, רטווץ מוווכט	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		
	Product 0.23	Heat	Test Type	
	0.23	0.19	С	
	0.92	0.85	Mn	
	0.92 0.026 0.020	0.016	Р	
	0.020	0.016 0.005	S	Chemical Analysis (wt%)
	0.25	0.23	Si	Analysis (
	0.08	0.07	Cr	wt%)
	0.01	0.01	Cu	
	0.01		Mo	
	0.04	0.03	Ni	
	0.002		٧	
	0.003		П	
	0.001		dN	
	0.0001		В	
	0.40	1	CE(IIW)	
	0.40	1	CE(CSA)	

		-	_	_		
	Heat		BSM-1296		Heat	
Test Impact Test Standard Sample Details			Heat		Test Type	
			Ferrite & Pearlite		Microstructure	
			78 HRBW		Hardness	
റ്	Temp		Pass		Flattening Test	
_	lm		Longi			Mechanical Properties
J	Impact Energy		Longitudinal; 38.1 mm x \	50mm GL	Tension Test	Properties
AVG			mm x WT		st	
%					Yie	
%	% Shear		41,800	psi	Yield (Rt0.5)	
%			70		Tens	
AVG			70,500	psi	Tensile (Rm)	
mm	Li		0.59	(Rt0.5/Rm	۲/۲	
mm	Lateral Expansion			n) 		
mm	pansion		48	%	Elongation (A)	
AVG			10000		on (A)	

	2	
3		
01101		
2000		
		_

BSM-1296

AVG

%

%

%

AVG

mm

m m

m m

AVG

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2013 OCT 2

Paul Sowden, T.T. Assistant QA Manager