

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Product Size: 18 TRUE 80 Production Date: Oct 08, 2013

Certificate No.: MTR- 000506

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Production Method:

Hot Expansion

Product:

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1299

Product Heat Treatment:

As-rolled

Product Markings NPS 18 TRUE 80 0.940 INCHWT SMLS 2013/10 NDE

WASS) 170.8Ib/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

		Product: Details					7016-0		Z	Non-Destructive Testing	ive Testing			
Heat	Test Type	Product Size	Pieces	Length	Mass	Geiger	Res. Mag.	Visual	OD	TU	TU	ET	HydroTest	End
					lb/ft	μR/hr	Gauss	Insp.		WΤ	ASTM E213 ASTM	ASTM		Condition
BSM-1299	Heat	NPS 18 TRUE 80 0.940in. WT	5	DRL	170.8	<5	<10	Pass	Pass	Pass	Pass	Pass	*	Plain End

											000000000000000000000000000000000000000			500			
0.38	0.38	0.0001	0.001	0.001	0.003	0.03	0.01	0.07	0.05	0.32	0.005	0.016	0.89	0.21	Product	Coppe, Larry Miles	
1	ř	0.0004	0.001	0.002	0.003	0.02	0.01	0.06	0.05	0.33	0.002	0.013	0.90	0.20	Heat	Blast Furnace; EAF; Ladle Refining; Vacuum	BSM-1299
CE(CSA)	CE(IIW)	В	Nb	ij	٧	N:	Mo	Си	Cr	Si	S	Ъ	Μ'n	0	Test Type	Steelmaking Method	Heat
									(wt%)	Analysis (Chemical Analysis (wt%)						

BSM-1299		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
75 HRBW		Hardness	
Pass		Flattening Test	DATE OF THE PARTY
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
48,100	psi	Yield (Rt0.5)	
70,500	psi	Tensile (Rm)	
0.68	(Rt0.5/Rm)	۲/۲	
48	%	Elongation (A)	

								2000						
í	ı.	ſ		-	r			1	ı	T.			1	BSM-1299
% AVG mm mm		% AVG	%		%	%	AVG	J	J	_	റ്	Sample Details	Standard	
% Shear Lateral Expansion	near	near	near	_	% SI			Energy	Impact		Temp	Impact Test	Test	Heat

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

* Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Paul Sowden, T.T. Assistant QA Manager

2013 007 18