

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603 Fax: 001 (780) 469-6986

www.brichemsteel.com

Product Size: 18 TRUE 80 Production Date: Oct 09, 2013

Hot Expansion Product Heat Treatment: As-rolled Certificate No.: MTR- 000525

BSM-1311

Production Method:

Product:

Seamless Carbon Steel Pipe

Product Heat Number:

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings NPS 18 TRUE 80 0.940 INCHWT SMLS 2013/10 NDE

ASTINION HEAT BSM-1311 (PIPE # LENGTH MASS) 170.8lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

Plain End	*	Pass	Pass	Pass	Pass	Pass	<10	<5	170.8	DRL	2	NPS 18 TRUE 80 0.940in. WT	Heat	BSM-1311
Condition		ASTM	ASTM E213 ASTM	TW		Insp.	Gauss	μR/hr	lb/ft					er chargin
End	HydroTest	ET	TU	UT	9	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			tive Testing	Non-Destructive Testing	N							Product: Details		

	BSM			
	BSM-1311		Heat	
	regas, runy ninee	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		
	Product	Heat	Test Type	
	0.23	0.20	С	
0.000	0.92	0.92	Mn	
	0.015	0.016	Р	
	0.006	0.001	S	Chemical Analysis (wt%)
	0.32	0.33	Si	Analysis (
	20.0	90.0	Cr	wt%)
	90.0	0.07	Cu	
	0.01	0.06	Mo	
	0.03	0.02	Ni	
	0.003	0.005	٧	
	0.001	0.002	Ti	
	0.001	0.001	Nb	
	0.0001	0.0003	В	
	0.40	,	CE(IIW)	
	0.40	1	CE(CSA)	

49	0.68	72.000	48.800	Longitudinal: 19.05 mm x WT	Pass	78 HRBW	Ferrite & Pearlite	Heat	BSM-1311
%	(Rt0.5/Rm)	psi	psi	50mm GL					
Elongation (A)	Τ/Υ	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
				Mechanical Properties					

BSM-1311		Ή
311		Heat
t	Standard	Test
	Sample Details	Impact Test
	°C	Temp
ı	L	
	J	Impact
L)	J	Energy
L	AVG	
r	%	
	%	% Shear
	%	ear
ı	AVG	
-	mm	
-	mm	Lateral Expansion
ı	mm	pansion
·	AVG	

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in results meet the corresponding requirements accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

2013 OCT 22

Paul Sowden, T.T. Assistant QA Manager