

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number:

BSM-1322 Product Size: 16 SCH 100

Production Date: Oct 15, 2013

Certificate No.: MTR- 000535

ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Heat Treatment:

As-rolled

Product Standards: Production Method:

Product Markings

MPS 16 SCH 100 1.031 INCHWT SMLS 2013/10 NDE

MASS) 164.8Ib/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

DOLL-TOCK	DCM 1277		Heat	
HEAL	Lina+		Test Type	
NEO TO OCH TOO T'OOTHI' AN I	TW -: 150 1 001 1133 31 3014		Product Size	Product: Details
u	,		Pieces	
באר	22		Length	
164.8	10.00	lb/ft	Mass	
Ş		μR/hr	Geiger	
Çķ	2	Gauss	Res. Mag.	
Pass	,	Insp.	Visual	
Pass			9	No
Pass		TW	TU	Non-Destructive Testing
Pass	,	ASTM E213 ASTM	TU	tive Testing
Pass		ASTM	ET	
*			HydroTest	
Plain End		Condition	End	

		BSM-1322	Heat	
	Constitution of the state of th		Steelmaking Method	
	Product	Heat	Test Type	
	0.21	0.19	C	
	0.91	0.91	Mn	
	0.014	0.014	P	
-	0.003	0.004	S	Chemical Analysis (wt%)
	0.31	0.34	Si	Analysis (
	0.05	0.05	Cr	wt%)
	0.09	0.06	Си	
	0.01	0.00	Мо	
	0.03	0.02	<u>N</u>	
	0.003	0.003	<	
	0.005	0.002	П	
	0.001	0.001	Nb	
	0.0002	0.0003	В	
	0.38	1	CE(IIW)	
	0.38	ı	CE(CSA)	

BS	Г		Τ
BSM-1322		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
76 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Viechanical Properties
51,500	psi	Yield (Rt0.5)	
73,000	psi	Tensile (Rm)	
0.71	(Rt0.5/Rm)	Υ/Τ	
48	%	Elongation (A)	

BSM-1322			Heat	
	,	Standard	Test	
		Sample Details	Impact Test	
	1	°C	Temp	
		_		
	r	L	Impact	
	1	_	Energy	
	,	AVG		
	1	%		
	a	%	% Shear	
		%	ıear	
	-	AVG		
		mm		
	1	mm	Lateral Expansion	
-	ı	mm	xpansion	
	-	AVG		

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in results meet the corresponding requirements accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

2013 OCT 23

Paul Sowden, T.T.

Assistant QA Manager