

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1340 Product Size: 16 SCH 100

Production Date:

Oct 17, 2013

Production Method: Hot Expansion

Product Heat Treatment:

As-rolled

Certificate No.: MTR- 000553

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

PS 16 SCH 100 1.031 INCHWT SMIS 2013/10 NDE

HEAT BSM-1340 (PIPE # LENGTH MASS) 164.8lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

<u></u>	T		_
BSM-1340		Heat	
Heat		Test Type	
NPS 16 SCH 100 1.031in. WT		Product Size	Product: Details
2		Pieces	
DRL	2	Length	
164.8	lb/ft	Mass	
QK	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	lnsp.	Visual	
Pass		OD	No
Pass	WT	TU	on-Destruc
Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
Pass	ASTM	ET	
*		HydroTest	
Plain End	Condition	End	

			86			Chemical .	Analysis (1	wt%)									
Heat	Steelmaking Method	Test Type	С	пM	Р	S	Si	Cr	Cu	Мо	Z	<	Π	Nb	В	CE(IIW)	CE(CSA)
BSM-1340	Blast Furnace; EAF; Ladle Refining; Vacuum	Heat	0.18	0.92	0.012	0.002	0.30	0.05	0.06	0.01	0.03	0.003	0.002	0.001	0.0004	ı.	1
	Degas, rully Nilled	Product	0.20	86.0	0.010	0.004	0.29	0.06	0.07	0.01	0.03	0.003	0.002	0.001	0.0003	85.0	0.38

BSM-1340 Heat Ferrite & Pearlite 78 HRBW Pass Longitudinal; 19.05 mm x WT 52,500 74,000	50mm GL psi psi	Heat Test Type Microstructure Hardness Flattening Test Tension Test Yield (Rt0.5) Tensile (Rm)	Mechanical Properties
	psi psi	(Rt0.5) Tensi	
,000 0.71	osi (Rt0.5/Rm)	le (Rm) Y/T	
47	%	Elongation (A)	

	BSM-1340		Heat
	1	Standard	Test
	r	Sample Details	Impact Test
		°C	Temp
	ı	J	
	1	J	Impact
	1	J	Energy
	1	AVG	
		%	
-	ı	%	% Shea
	t	%	ear
	ı	AVG	
	1	mm	
	1	mm	Lateral Ex
and the second second	Ţ	mm	pansion
		AVG	

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in results meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- √ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

* Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Paul Sowden, T.T. Assistant QA Manager