

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

BSM-1341 Product Size: 16 SCH 100 Production Date: Oct 17, 2013

Production Method: **Hot Expansion** Product Heat Treatment: As-rolled Certificate No.: MTR- 000554

Product Heat Number:

Product:

Seamless Carbon Steel Pipe

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings | NPS 16 SCH 100 1.031 INCHWT SMLS 2013/10 NDE

ENUISMENTE HEAT BSM-1341 (PIPE # LENGTH MASS) 164.8lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

B	Γ		Г
BSM-1341		Heat	
Heat		Test Type	
NPS 16 SCH 100 1.031in. WT		Product Size	Product: Details
2		Pieces	
DRL		Length	
164.8	lb/ft	Mass	
OK.	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	insp.	Visual	
Pass		OD	NC
Pass	WT	TU	n-Destruc
Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
Pass	ASTM	ET	
*		HydroTest	
Plain End	Condition	End	

		Ĺ	L										ľ				
0.38	0.38	8000.0	0.001	0.002	0.003	0.03	0.01	0.06	0.05	0.31	0.003	0.012	0.91	0.21	Product	Degas, rully silled	
t	t	0.0004	0.001	0.002	0.004	0.03	0.00	0.05	0.05	0.31	0.003	0.017	0.94	0.19	Heat	Blast Furnace; EAF; Ladle Refining; Vacuum	BSM-1341
) CE(CSA)	CE(IIW)	В	Nb	Ti	<	<u>N</u>	Mo	Cu	Cr	Si	S	P	Mn	С	Test Type	Steelmaking Method	Heat
									sis (wt%)	Analysis	Chemical						

	0.69	74,500	51,500	Longitudinal; 19.05 mm x WT	Pass	79 HRBW	Ferrite & Pearlite	Heat	BSM-1341
	(Rt0.5/Rm)	psi	psi	50mm GL					
ш	7/7	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
				Mechanical Properties					

BSM-1341		Heat	
t	Standard	Test	
t	Sample Details	Impact Test	
r	°C	Temp	
1	J		
,	J	Impact	
1	J	: Energy	
-	AVG		
r	%		
7	%	% Shea	
,	%	iear	
ī	AVG		
,	mm	100000000000000000000000000000000000000	
,	mm	Lateral Ex	
	mm	pansion	
2	AVG		

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in results meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- √ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Scenden 2013 OCT 24

Paul Sowden, T.T. Assistant QA Manager