

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc. Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1370

Product Size: 18 SCH 120

Production Date:

Certificate No.: MTR- 000587 Nov 01, 2013

Product Standards: Production Method: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 **Hot Expansion** Product Heat Treatment: As-rolled

Product Markings

| NPS 18 SCH 120 1.375 INCHWT SMLS 2013/11 NDE

NUISANEURINGE HEAT BSM-1370 (PIPE # LENGTH MASS) 244.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

		Product: Details							No	າກ-Destruc	Non-Destructive Testing			
Heat	Test Type	Product Size	Pieces	Length	Mass	Geiger	Res. Mag.	Visual	OD	TU	TU	ET	HydroTest	End
					lb/ft	μR/hr	Gauss	Insp.		TW	ASTM E213 ASTM	ASTM	3	Condition
BSM-1370	Heat	NPS 18 SCH 120 1.375in. WT	ב	DRL	244.1	<5	<10	Pass	Pass	Pass	Pass	Pass	*	Plain End

		BSM-1370	Heat	
	Cegas, runy nineu	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
10000000	Product	Heat	Test Type	
	0.22	0.21	С	
	0.93	0.96	Mn	
CONCESSION - 200	0.012	0.001	P	
	0.004	0.003	S	Chemical
	0.32	0.22	Si	Chemical Analysis (wt%)
	0.04	0.05	Cr	wt%)
	0.05	0.05	Cu	
	0.01	0.02	Mo	
-	0.02	0.02	Ni	
	0.003	0.001	٧	
	0.003	0.002	Ti	
-	0.001	0.001	Nb	
-	0.0003	0.0005	В	
	0.39	1	CE(IIW)	
	0.39	1	CE(CSA)	

BSM-1370		Heat	
70 Heat			
eat		Test Type	
Ferrite & Pearlite		Microstructure	
77 HRBW		Hardness	
Pass		Flattening Test	7
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
38,300	psi	Yield (Rt0.5)	
68,500	psi	Tensile (Rm)	
 0.56	(Rt0.5/Rm)	٧/٦	
49	%	Elongation (A)	

Heat	Test	Impact Test	Temp		Impact	Energy			% Shea	ear		6	Lateral Ex	pansion	
	Standard	Sample Details	°C	J	Ĺ	_	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-1370	•	; .	-	ı	,		1	r		ī	ι	r	1	1	1

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2011 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

198 amden 2013 NOV 12

Paul Sowden, T.T.

Assistant QA Manager