

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number: BSM-1390

Product Size: 24 TRUE 80

Production Date: Nov 06, 2013

Certificate No.: MTR- 000628

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

Product Standards: Production Method:

NPS 24 TRUE 80 1.219 INCHWT SMLS 2013/11 NDE

HEAT BSM-1390 (PIPE # LENGTH MASS) 296.4lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

The second second														
Plain End	*	Pass	Pass	Pass	Pass	Pass	<10	<5	296.4	DRL	1	NPS 24 TRUE 80 1.219in. WT	Heat	BSM-1390
Condition		ASTM	ASTM E213 ASTM	WT		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest	ET	TU	TU	OD	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			ive Testing	Non-Destructive Testing	N							Product: Details		

BSM-1390		Heat	
Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Steelmaking Method	
Product	Heat	Test Type	
0.21	0.21	С	
0.94	0.96	Mn	
0.011	0.001	Р	
0.004	0.003	S	Chemical
0.35	0.22	Si	Chemical Analysis (wt%
0.04	0.05	Cr	wt%)
0.05	0.05	Cu	
0.02	0.02	Мо	
0.02	0.02	N:	
0.003	0.001	٧	
0.002	0.002	Ti	
0.001	0.001	Nb	
0.0003	0.0005	В	
0.39	t	CE(IIW)	
0.39	1	CE(CSA)	

47	0.59	72,500	43,000	Longitudinal; 19.05 mm x WT	Pass	78 HRBW	Ferrite & Pearlite	Heat	BSM-1390
%	(Rt0.5/Rm)	psi	psi	50mm GL					
Elongation (A)	Υ/Τ	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
				Mechanical Properties					

BSM-1390		Heat
1	Standard	Test
j.	Sample Details	Impact Test
•	°C	Temp
-	J	
1	J	Impact
-	J	Energy
	AVG	
	%	
ı	%	% Shear
	%	ear
1	AVG	
t	mm	
ſ	mm	Lateral Expansior
-	mm	pansion
-	AVG	

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Branden 2013 NOV 22

Paul Sowden, T.T.

Assistant QA Manager