

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number:

Product Heat Treatment:

BSM-1395

Product Size: 24 TRUE 80

Production Date: Nov 11, 2013

As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 000603

**Product Markings** 

Product Standards: Production Method:

BRI-STEEL NPS 24 TRUE 80 1.219 INCHWT SMLS 2013/11 NDE HEAT BSM-1395 (PIPE # LENGTH MASS) 296.4lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	Pass	Pass	Pass	Pass	Pass	<10	<5	296.4	DRL	1	NPS 24 TRUE 80 1.219in. WT	Heat	BSM-1395
ASTM E213 ASTM	ASTM E213		TW		Insp.	Gauss	μR/hr	lb/ft					
T UT ET HydroTest	UT	_	⊂.	00	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
Non-Destructive Testing	structive Testing	struct	on-De	No						1000	Product: Details		

	BSM-1395	Heat	
Congas, rully silled	= =	Steelmaking Method	
Product	Heat	Test Type	
0.19	0.20	С	
0.85	0.91	Mn	
0.008 0.004	0.011 0.011	P	
0.004	0.011	S	Chemical Analysis (wt%)
0.23	0.23	Si	Analysis (
0.04	0.05	Cr	wt%)
0.06	0.05	Cu	
0.01	0.01	Mo	
0.04	0.05	N:	
0.003		٧	
0.001		Ti	
0.000		Nb	
0.0001	0.0003	В	
0.35	1	CE(IIW)	
0.35	,	CE(CSA)	

BSM-1395		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
75 HRBW		Hardness	
Pass		Flattening Test	
 Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
38,100	psi	Yield (Rt0.5)	
69,000	psi	Tensile (Rm)	
0.55	(Rt0.5/Rm)	Υ/Τ	
47	%	Elongation (A)	

BSM-1395		Heat
395		eat
ı	Standard	Test
î	Sample Details	Impact Test
ı	°C	Temp
	J	
	J	Impact
ı	J	Energy
1	AVG	
1	%	
-	%	% Shear
1	%	ear
1	AVG	
1	mm	
-	mm	Lateral Ex
1	mm	Expansion
1	AVG	

## Additional Details:

🗸 We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2011 Grade B A/SAS3-2012, and the purchase order requirements, and that the results meet the corresponding requirements.

Mill Test Certificate approved by:

Bouden

2013 NOVIH

- $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- √ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

\* Note that this product was hydrotested to 1000 psi for 5 seconds.

- Assistant QA Manager

Paul Sowden, T.T.