

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

www.brichemsteel.com Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

Seamless Carbon Steel Pipe

Product Heat Number: BSM-1399 Product Size: 24 TRUE 80

Production Date: Nov 11, 2013

Production Method: Hot Expansion

Product Heat Treatment: As-rolled

Certificate No.: MTR- 000609

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

NPS 24 TRUE 80 1.219 INCHWT SMLS 2013/11 NDE

HEAT BSM-1399 (PIPE # LENGTH MASS) 296.41b/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

		Pass	Pass	SSPd	Pass	Pass	<10	ŝ	296.4	DRL	6	NPS 24 TRUE 80 1.219in, WT	Heat	BSM-1399
		STM E213 ASTM E309	ASTM E213	TW		insp.	Gauss	μR/hr	lb/ft					
est	HydroTest	E	5	5	0D**	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			Non-Destructive lesting	n-Destruct	NOI							Product: Details		

		-															
0.38	0.38	1000.0	0.001	100.0	0.003	0.04	0.01	0.06	0.05	0.24	0.011	0.013	0.91	0.21	Product	de de la companya de	
,	ì	0.0003				0.03	0.01	0.06	0.05	0.25	0.009	0.012	0.95	0.21	Heat	Blast Furnace; EAF; Ladle Refining; Vacuum	BSM-1399
CE(CSA)	CE(IIW)	В	Nb	1	٧	Z	Mo	Cu	Cr	Si	S	P	Mn	C	Test Type	Steelmaking Method	Heat
									(wt%)	Analysis	Chemical Analysis (wt%)	0					

46	0.58	71,500	41,600	Longitudinal; 19.05 mm x WT	Pass	74 HRBW	Ferrite & Pearlite	Heat	BSM-1399
%	(Rt0.5/Rm)	psi	psi	50mm GL					
Elongation (A)	1/1	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
				Mechanical Properties	IN				

Heat	Test	Impact Test	Temp		Impact	pact Energy			% Shear	near .			ateral Ex	noisnedx	
	Standard	Sample Details	ď	_	ſ	٦	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-1399	1	•		r	,			ı	r	,	,	٠		,	,

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3
 Sour Service-2009 NACE MR0103-2010 Section 2.1
- \checkmark No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- *Note that this product was hydrotested to 1000 psi for 5 seconds.
- **OD Tolerances as per API

Mill Test Certificate approved by:

2013 NOV 14

es centalin

Paul Sowden, T.T.

Assistant QA Manager