

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603 www.brichemsteel.com

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1417 Product Size: 24 XS

Production Date: Nov 19, 2013

Production Method: Hot Expansion

**Product Markings** 

Certificate No.: MTR-

Product Standards: ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

**Product Heat Treatment:** 

As-rolled

| CAPI-STEEL | - (API-) 5L-0898 API SPEC 5L NPS 24 XS 0.500 INCHWT GR B PSL1 SMLS 2013/11 NDE 1000PSI HEAT BSM-1417 (PIPE # LENGTH MASS) 125.5lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSM-1417		Heat	
Heat		Test Type	
NPS 24 XS 0.500in. WT		Product Size	Product: Details
4		Pieces	
DRL		Length	
125.5	lb/ft	Mass	
<5	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	No
Pass	TW	TU	on-Destruc
Pass	ASTM E213 ASTM	UT	Non-Destructive Testing
Pass		터	
Pass	1000 PSI/ 5 s Condition	HydroTest	
34° Bevel	Condition	End	

		BSM-1417	Heat	
		7	at	
	Cogas, rully allico	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
	Product	Heat	Test Type	
	ct 0.20	0.19	С	
	0.86	0.89	Mn	
0.0000000000000000000000000000000000000	0.012	0.014	Р	
	0.012 0.010	0.89 0.014 0.008	S	Chemical
	0.20	0.22	Si	Chemical Analysis (wt%)
	0.04	0.03	Cr	wt%)
3000 miles	0.06	0.06	Cu	
	0.01	0.01	Мо	
	0.03	80.0	N:	
	0.003		٧	
	0.001		IL	
	0.001		qN	
	0.0003	0.0003	В	
	0.36	,	CE(IIW)	
	0.36	•	CE(CSA)	

BSM-1417		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
74 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
41,200	psi	Yield (Rt0.5)	
66,500	psi	Tensile (Rm)	
0.62	(Rt0.5/Rm)	Τ/Υ	
46	%	Elongation (A)	

mm AVG	┦.	mm	AVG	%	%	%	AVG	_		_	റ്	Sample Details	Standard	
1	1	1		ı	1			,	1			2		BSM-1417
nsion	ateral Expan	_		lear	% Shea			Energy	Impact		Temp	Impact Test	Test	Heat

## Additional Details:

✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.

√ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1

✓ No weld repairs have been performed on this product.

 $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

 $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Bounder 2013 NOV 20

Paul Sowden, T.T.

Assistant QA Manager