

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1434 Product Size: 14 XS

Production Date: Nov 21, 2013

Production Method: Hot Expansion **Product Heat Treatment:**

Product Markings

As-rolled

Certificate No.: MTR- 000645

Product Standards: ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

| API> 51-0898 API SPEC 5L NPS 14 XS 0.500 INCHWT GR B PSL1 SMLS 2013/11 NDE 1700PSI

	BSM-1434		Heat	
	Heat		Test Type	
	NPS 14 XS 0.500in. WT		Product Size	Product: Details
	3		Pieces	
	DRL		Length	
	72.09	lb/ft	Mass	
	Ġ	μR/hr	Geiger	
	<10	Gauss	Res. Mag.	
	Pass	Insp.	Visual	
9 90000	Pass		OD	z
	Pass	TW	TU	on-Destruc
	Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
	Pass		ET	
	Pass	1700 PSI/ 5 s Condition	HydroTest	
	34° Bevel	s Condition	End	

	BSM-1434	Heat	
begas, rany since	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.20	0.19	С	
0.96	0.94	Mn	
0.009	0.010 0.004	Р	
0.005	0.004	S	Chemical Analysis
0.26	0.25	Si	Analysis (
0.03	0.03	Cr	is (wt%)
0.09	0.07	Cu	
0.01	0.01	Мо	
0.04	0.04	N:	
0.003		٧	
0.001		Π	
0.001		Nb	
0.0003	0.0005	В	
0.38	-	CE(IIW)	
0.38	r	CE(CSA)	

BSM:		_	
BSM-1434		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
79 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
43,500	psi	Yield (Rt0.5)	
74,000	psi	Tensile (Rm)	
0.59	(Rt0.5/Rm)	Т/А	
44	%	Elongation (A)	

	BSM-1434		Heat
	1	Standard	Test
	Ĺ	Sample Details	Impact Test
		°C	Temp
	ı	_	
	1	ſ	Impact
	1	J	Energy
	1	AVG	
	1	%	
	1	%	% Shear
	ì	%	lear
	i L	AVG	
	1	mm	
	t	mm	Lateral Expansion
	t	mm	pansion
The second secon	1	AVG	7 7 8 8 8 8

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Souther 2013 DEC 03

Assistant QA Manager Paul Sowden, T.T.