

## Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 124

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Seamless Carbon Steel Pipe

Production Method:

Product Heat Number: BSM-1461 Product Size: 22 XS

Production Date: Dec 05, 2013

Hot Expansion Product Heat Treatment: As-rolled

Product Standards: ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 Certificate No.: MTR- 000667

Product Markings Heat Test Type API> 51-0898 API SPEC 51 NPS 22 XS 0.500 INCHWT GR B PSL1 SMLS 2013/12 NDE 1720PSI

\*\*\*CANUAR BURNES\*\*\* HEAT BSM-1461 (PIPE # LENGTH MASS) 114.81b/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA **Product Size** Product: Details Pieces Length Mass lb/ft Geiger µR/hr Res. Mag. Gauss Visual insp. 00 Non-Destructive Testing 55 ASTM E213 ASTM E309 1720PSI/ HydroTest

S

Condition End

	BSM-1461	Heat		BSM-1461
9		Steeln		Heat
	Blast Furnace; EAF; Ladle Refining; Vacuum Davac: Fully Killad	Steelmaking Method		NPS 22 XS 0.500in. WT
Product 0.20	Heat	Test Type		NT
0.20	0.19	0		4
	0.84	Mn		DRL
0.88 0.010 0.009	0.009	Р	9	114.8
0.009	0.009	S	Chemical Analysis (wt%)	ŝ
)9 0.24 (	0.24	Si	nalysis	<10
0.03	0.03	Cr	(wt%)	10
0.06	0.06	Cu		Pass
0.01	0.01	Mo		Pass
0.03	0.03	N		Pass
0.003		٧		Pass
0.002		1		_
0.001		Nb		Pass
0.0002 0.36	0.0003	В		Pass
0.36		CE(IIW)	26.1300001	
0.36	,	CE(CSA)		34º Bevel

BSM-1461	Heat Te	
Heat	Test Type	
Ferrite & Pearlite	Microstructure	
70 HRBW	Hardness	
Pass	Flattening Test	Mı
Longitudinal; 38.1 mm x WT	Tension Test 50mm GL	Mechanical Properties
40,000	Yield (Rt0.5) psi	
68,000	Tensile (Rm) psi	
0.59	Y/T (Rt0.5/Rm)	
44	Elongation (A) %	

неат	lest	Impact Test	Temp		Impact E	Energy			% SI	6 Shear			Lateral E	xpansion	_
	Standard	Sample Details	c	Ĺ	_	Γ	AVG	%	%	%	AVG	mm	ww	mm	AVC
BSM-1461	•	•		-			,	,				,	,	,	

## Additional Details:

- We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing requirements, and that the results meet the corresponding requirements Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B A/SA53-2012, and the purchase order
- ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- \*API Minimum WT tolerance increased to 0.495 inch by customer request

Mill Test Certificate approved by:

Sounder

Assistant QA Manager Paul Sowden, T.T.