

## Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe Product Heat Number: BSM-1492

Production Method: **Hot Expansion Product Heat Treatment:** As-rolled Product Size: 16 XS Certificate No.: MTR- 000696 Production Date: Dec 19, 2013

Product Standards: ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

**Product Markings** 

BRI-STEEL | <API> 5L-0898 API SPEC 5L NPS 16 XS 0.500 INCHWT GR B PSL1 SMLS 2013/12 NDE 1500PSI

EAT BSM-1492 (PIPE # LENGTH MASS) 82.77lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	1	BS	Γ		
		BSM-1492		Heat	
		Heat		Test Type	
		NPS 16 XS 0.500in. WT		Product Size	Product: Details
		7		Pieces	
		DRL		Pieces Length	
유		82.77	lb/ft	Mass	
Chemical Analysis (wt%)		<5	μR/hr	Geiger	
		<10	Gauss	Res. Mag.	
		Pass	Insp.	Visual	
		Pass	150	OD	No
		Pass	TW	ΤU	on-Destruct
		Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
		Pass	ASTM	ΕT	
		Pass	1500 PSI/ 5 s Condition	HydroTest	
		34° Bevel	s Condition	End	

							The second second	and the second second second	1									
Heat	Steelm	Steelmaking Method	Test Type	С	Mn	P	S	Si	Cr	Cu	Мо	N:	<	Π.	Мb	В	CE(IIW) CE(CSA)	CE(CSA)
BSM-1492	Blast Furnace; EAF	Blast Furnace; EAF; Ladle Refining; Vacuum	Heat	0.19	0.91	0.009	0.005	0.23	0.03	0.07	0.01	0.04				0.0004	,	1
	Degas, rully Nilled		Product 0.19 0.90 0.006 0.008 0.23	0.19	0.90	0.006	0.008	0.23	0.04	0.08	0.01	0.03	0.003	0.001	0.001 0.0004 0.35	0.0004	_	0.35
							Mechanio	Mechanical Properties	ties									
Heat	Test Type	Microstructure	Hard	Hardness	Flatten	Flattening Test		Tens	Tension Test		Yiek	rield (Rt0.5)	Tensile (Rm)	(Rm)	T/Y		Elongation (A)	'n (A)
								50	50mm GL			psi	psi	Si.	(Rt0.5/Rm)	(m)	%	
BSM-1492	Heat	Ferrite & Pearlite	73 H	73 HRBW	Pa	Pass	Lo	Longitudinal; 38.1 mm x	; 38.1 mm	1 x WT	5	55,500	71,500	500	0.78		46	

	BSM-1492		Heat	
	ı	Standard	Test	
	ì	Sample Details	Impact Test	
	ι	°C	Temp	
	-	J		
		J	Impact	
		J	Energy	
	ı	AVG		
	-	%	% Shear	
	•	%		
		%		
	ı	AVG		
	t	mm		
	•	mm	Lateral Ex	
		mm	al Expansion	
	ı	AVG		

## Additional Details:

- $\checkmark$  We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in and that the results meet the corresponding requirements. accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements,
- $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Bomder

Assistant QA Manager Paul Sowden, T.T.