

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1497 Product Size: 16 XS

Production Date:

Dec 24, 2013

Production Method: **Hot Expansion**

Product Standards:

Product Heat Treatment: As-rolled

Certificate No.: MTR- 000713

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

(API) 51-0898 API SPEC 5L NPS 16 XS 0.500 INCHWT GR B PSL1 SMLS 2013/12 NDE 1500PSI MANUFACTURE HEAT BSM-1497 (PIPE # LENGTH MASS) 82.77lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

ET HydroTest 3 ASTM 1500PSI/ 5 s
Non-Destructive Testing lag. Visual OD UT UT ET HydroTest ss Insp. WT ASTM E213 ASTM 1500 PSI/ 5 s
Res. Mag. Visual OD UT UT ET HydroTest
Visual OD UT UT ET HydroTest Insp. WT ASTM E213 ASTM 1500 Pass Pass Pass Pass
Non-Destructive Testing OD UT UT ET HydroTest WT ASTM E213 ASTM 1500 PSI/ 5 s Pass Pass Pass Pass Pass
Non-Destructive Testing UT UT ET HydroTest WT ASTM E213 ASTM 1500 PSI/ 5 s
ET HydroTest 3 ASTM 1500 PSI/ 5 s
ET HydroTest 3 ASTM 1500 PSI/ 5 s
HydroTest 1500PSI/ 5 s
HydroTest End 1500 PSI/ 5 Condition Pass 34° Beve
End S Condition

	BSM-1497	Heat	
C. Brand and Strategy	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.21	0.20	С	
0.86	0.89	Mn	
0.010	0.011	P	
0.016	0.010	S	Chemical
 0.24	0.24	Si	Chemical Analysis (wt%)
0.06	0.06	Cr	wt%)
0.06	0.06	Cu	
10.0	0.01	Мо	
0.05	0.06	Ni	
200.0		٧	
0.005		11	
0.001		Мb	
0.0004	0.0005	В	
0.37	ì	CE(IIW)	
0.37	1	CE(CSA)	

42	0.60	75,000	44,700	Longitudinal; 38.1 mm x WT	Pass	76 HRBW	Ferrite & Pearlite	Heat	BSM-1497
%	(Rt0.5/Rm)	psi	psi	50mm GL					
Elongation (A)	Υ/Τ	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
				Mechanical Properties					

BSM-1497		Heat	
,	Standard	Test	
ı	Sample Details	Impact Test	
	°C	Temp	
	_		
ı	_	Impact Energy	
	_		
	AVG		
-	%		
•	%	% Shear	
ı,	%	ear	
ı	AVG		
·	mm		
1	mm	Lateral Expansion	
	mm		
ı	AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2011 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2014 JAN 07 Souben

Paul Sowden, T.T.

Assistant QA Manager