

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Product Size: 24 STD Production Date: Jan 16, 2014

Product Heat Number: Product Heat Treatment: BSM-1540 As-rolled Certificate No.: MTR- 000754

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 Production Method:

Hot Expansion

Product:

Seamless Carbon Steel Pipe

Product Markings BRI-STEEL NPS 24 STD 0.375 INCHWT SMLS 2014/01 NDE 750PSI

HEAT BSM-1540 (PIPE # LENGTH MASS) 94.62lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

8	_		_
BSM-1540		Heat	
Heat		Test Type	
NPS 24 STD 0.375in. WT		Product Size	Product: Details
3		Pieces	
DRL		Length	
94.62	lb/ft	Mass	
~ 5	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	No
Pass	WT	TU	on-Destruc
Pass	ASTM E213 ASTM	UT	Non-Destructive Testing
Pass	ASTM	ET	
Pass	750 PSI/ 5 s	HydroTest	
32.5° Bevel	5 _S Condition	End	

		BSM-1540	Heat	
	Cogas, cary Missa		Steelmaking Method	
	Product	Heat	Test Type	
	0.22	0.21	С	
	0.96	0.96	Mn	
	0.009	0.010	Р	
	0.012	0.010	S	Chemical
	0.22	0.22	Si	Chemical Analysis (wt%)
	0.04	0.04	Cr	wt%)
	0.06	0.06	Cu	
	0.02	0.02	Mo	
	0.03	0.03	Ni	
2002	0.003		٧	
0.0	0.001		11	
	0.001		Nb	
	0.0002	0.0003	В	
	0.39	r	CE(IIW)	
	0.39	1	CE(CSA)	

BS			Г
BSM-1540		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
76 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
46,500	psi	Yield (Rt0.5)	
71,000	psi	Tensile (Rm)	10000000
0.65	(Rt0.5/Rm)	Υ/Τ	
43	%	Elongation (A)	5223 55 5000

1	1	•			ı			,	1	ì	-	1	į		BSM-1540
AVG	mm	mm	mm	AVG	%	%	%	AVG	J	J	J	°C	Sample Details	Standard	
	xpansion	Lateral Expansion			ıear	% Shear			Energy	Impact		Temp	Impact Test	Test	Heat

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2013 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements
- √This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- ✓ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Foundler 2014 JAN 21

Paul Sowden, T.T. Assistant QA Manager