

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Standards: Production Method:

Product Heat Number:

BSM-1596 Product Size: 20S100

Production Date:

Feb 03, 2014

Certificate No.: MTR- 000831

Hot Expansion Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings NPS 20 SCH 100 1.281 INCHWT SMLS 2014/02 NDE

EAT BSM-1596 (PIPE # LENGTH MASS) 256.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-1596		Heat	
	Heat		Test Type	
	NPS 20 SCH 100 1.281in. WT		Product Size	Product: Details
100000000000000000000000000000000000000	1		Pieces	
	DRL	150000	Length	
	256.1	lb/ft	Mass	
	<5	μR/hr	Geiger	
	<10	Gauss	Res. Mag.	į
	Pass	Insp.	Visual	
	Pass		OD	No
	Pass	TW	UT	on-Destruc
	Pass	ASTM E213 ASTM	디	Non-Destructive Testing
	Pass	ASTM	띡	
	*		HydroTest	
	Plain End	Condition	End	

		BSM-1596	Heat	
	6 Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Steelmaking Method	
	Product	Heat	Test Type	
	0.20	0.21	С	
	0.92	0.93	Mn	
	0.011	0.001	Р	
	0.003	0.002	S	Chemical
	0.32	0.34	Si	Chemical Analysis (wt%
	0.05	0.04	Cr	wt%)
	0.06	0.05	Cu	
	0.01	0.09	Mo	
100 00000	0.03	0.03	N:	
	0.003	0.004	٧	
	0.002	0.003	Ti	
	0.001	0.001	Nb	
	0.0003	0.0004	В	
	0.37		CE(IIW)	
	0.37	t	CE(CSA)	

_		-	_
BSM-1596		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
74 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
39,800	psi	Yield (Rt0.5)	
68,000	psi	Tensile (Rm)	
0.59	(Rt0.5/Rm)	1/4	
49	%	Elongation (A)	
_			_

	BSI	Γ		
	BSM-1596		Heat	
	ı	Standard	Test	
	1	Sample Details	Impact Test	
	-	°C	Temp	
0.20	-	J		
000000000000000000000000000000000000000	*	J	Impact	
	7	J	Energy	
Section 1	1	AVG		
	,	%		
	1	%	% Shear	
VS	н	%	ear	
0.00		AVG		
	1	mm		
	1	mm	Lateral Ex	
The second secon	ā	mm	eral Expansion	
And in case of the last of the last	1	AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

* Note that this product was hydrotested to 1000 psi for 5 seconds.

- Assistant QA Manager

Paul Sowden, T.T.

Borden 2014 FEB 6

Mill Test Certificate approved by: