

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1613

Product Size: 20S100

Production Date:

Feb 06, 2014

Production Method: **Hot Expansion**

Product Heat Treatment:

As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 000839

Product Markings

Product Standards:

BRI-STEEL NPS 20 SCH 100 1.281 INCHWT SMLS 2014/02 NDE

HEAT BSM-1613 (PIPE # LENGTH MASS) 256.11b/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSM-1613		Heat	
Heat		lest lype	
NPS 20 SCH 100 1.281in. WT		Product Size	Product: Details
1		Pieces	
DRL		Length	
256.1	lb/ft	Mass	
\$	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	N
Pass	TW	T	on-Destruct
Pass	ASTM E213	TU	Non-Destructive Testing
Pass	ASTM	ET	
*		HydroTest	
Plain End	Condition	End	

		BSM-1613		Heat	
	L			at	
		Degas; Fully Killed	FAF 1 1 5 7 1 1 1	Steelmaking Method	
	Product	Heat		Test Type	
	0.20	0.21		C	
	0.94	0.96		M	
	0.015	0.009		70	
	0.015 0.003	0.009 0.003		S	Chemical Analysis (wt%)
	0.32	0.33		S:	Analysis (
	0.06	0.05		신	wt%)
	0.06	0.05		5	
	0.01	0.01		M _o	
	0.02	0.02		Z.	
	0.003	0.001		<	
	0.003	0.002	100000	= !	8.
	0.001	0.001		Мb	
400000000000000000000000000000000000000	0.0004	0.0002		В	
	0.38		1	CE(IIW)	
	0.38	1	(,,,,,,	CF(CSA)	

50	0.58	68,500	39,600	Longitudinal; 19.05 mm x WT	Pass	71 HRBW	Ferrite & Pearlite	Heat	BSM-1613
								2000	
%	(Rt0.5/Rm)	psi	psi	50mm GL					
				1)					
Elongation (A)	Ϋ́	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	lest Type	וובמנ
							Minushanak	Toct Time	Los+
				viectionical croperties					
TO THE RESIDENCE OF THE PARTY O				Machanical Droportion					

BSM-1613					Heat
	1		Standard	Charles	Test
	t		sample Details	-) -	Impact Test
	1		Č	,	Temp
			ے		
	•		۲.		Impact
			_		Energy
			AVG		
			%		
	ı		%		% Shear
-			%		lear
	ı.		AVG		
			mm		
	1		mm		Lateral Ex
	r		mm	•	xpansion
			AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Somden 2014 FEB 11

Paul Sowden, T.T.

Assistant QA Manager