

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Product Size: 16S100 Production Date: Mar 26, 2014

Hot Expansion Product Heat Treatment: As-rolled Certificate No.: MTR- 000986

Production Method:

Product:

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1730

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

NPS 16 SCH 100 1.031 INCHWT SMLS 2014/03 NDE

NAMES AND SERVIN SE

	BSM-1730		Heat	
	Heat		Test Type	
	NPS 16 SCH 100 1.031in. WT		Product Size	Product: Details
	2		Pieces	
	DRL		Length	
	164.8	lb/ft	Mass	William Willia
000000000000000000000000000000000000000	<5	μR/hr	Geiger	
The second second	<10	Gauss	Res. Mag.	
1000000	Pass	Insp.	Visual	
	Pass		00	N
The second second second	Pass	TW	TU	Non-Destructive Testing
The second second second second	Pass	ASTM E213 ASTM	TU	ive Testing
The second second second second	Pass	ASTM	ET	
The second secon	*		HydroTest	
The state of the s	Plain End	Condition	End	

		BSM-1730	Heat	
	Degas, runy nineu		Steelmaking Method	
	Product	Heat	Test Type	
	0.21	0.20	С	
	0.92	0.88	Mn	
	0.014	0.014	P	3
	0.003	0.002	S	Chemical
	0.30	0.29	Si	Chemical Analysis (wt%)
	0.06	0.06	Cr	wt%)
	0.07	0.07	Си	
	0.01	0.00	Mo	
***************************************	0.03	0.02	N:	
	0.003	0.003	٧	
	0.002	0.001	Ti	
	0.001	0.001	Nb	
	0.0003	0.0002	В	
	0.38	-	CE(IIW)	
	0.38	1	CE(CSA)	

BSM-1730		Heat T	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
77 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
46,600	psi	Yield (Rt0.5)	
69,500	psi	Tensile (Rm)	
0.67	(Rt0.5/Rm)	1/4	
48	%	Elongation (A)	

	<u></u>			
	BSM-1730		Heat	
	1	Standard	Test	
	1	Sample Details	Impact Test	
		C .c		
	_	J		
	t	J	Impact	
	-	J	Energy	
	-	AVG		
	-	%		
		%	% Shea	
	•	%	lear	
	-	AVG		
	ı	mm	Lateral Ex	
	ı	mm		
	ľ	mm		
	1	AVG		

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Paul Sowden, T.T.

Mill Test Certificate approved by:

2014 APR 07

Assistant QA Manager