

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number:

BSM-1735

Product Size: 16S100

Production Date: Mar 26, 2014

Certificate No.: MTR- 000992

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

Product Standards: Production Method:

NPS 16 SCH 100 1.031 INCHWT SMLS 2014/03 NDE

HEAT BSM-1735 (PIPE # LENGTH MASS) 164.8Ib/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

The state of the s	-					1								
Plain End	*	Pass	Pass	Pass	Pass	Pass	<20	<5	164.8	DRL	1	NPS 16 SCH 100 1.031in. WT	Heat	BSM-1735
Condition		ASTM	ASTM E213 ASTM	TW		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest	ET	T	T	OD	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			ive Testing	Non-Destructive Testing	Nc							Product: Details		

	BSM-1735	Heat	
Degas, rully Nilled		Steelmaking Method	
Product	Heat	Test Type	
0.19	0.21	С	
0.90	0.90	Mn	
0.014	0.017	Р	
0.004	7 0.002	S	Chemical
0.30	0.29	Si	Chemical Analysis (wt%)
0.07	0.06	Cr	wt%)
0.07	0.06	Си	
0.01	0.01	Mo	
 0.03	0.02	N:	6
0.003	0.004	٧	0
0.002	0.002	11	
0.001	0.001	Nb	
0.0003	0.0002	В	
0.36	t	CE(IIW)	
0.36	и	CE(CSA)	

	BSM-1735		Heat	
	Heat		Test Type	
	Ferrite & Pearlite		Microstructure	
	76 HRBW		Hardness	
	Pass		Flattening Test	
	Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
	42,900	psi	Yield (Rt0.5)	
The second second second second	67,500	psi	Tensile (Rm)	
	0.64	(Rt0.5/Rm)	Υ/Τ	
	48	%	Elongation (A)	

t	t	ı	t		1		1	•		ř	ı	t	1	ı	BSM-1735
AVG	mm	mm	mm	AVG	%	%	%	AVG	L	ب	L	°C	Sample Details	Standard	
	Expansion	Lateral E			% Shear	% Sı			t Energy	Impact		Temp	Impact Test	Test	Heat

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

* Note that this product was hydrotested to 1000 psi for 5 seconds.

Assistant QA Manager

Paul Sowden, T.T.

2014 APR 07

Mill Test Certificate approved by: