

## Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 124

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603 www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Production Method:

Hot Expansion

Product Heat Number: BSM-1747 Product Size: 16S100

Production Date: Apr 07, 2014

Product Heat Treatment: As-rolled

Certificate No.: MTR- 001006

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings | NPS 16 SCH 100 1.031 INCHWT SMLS 2014/04 NDE HEAT BSM-1747 (PIPE # LENGTH MASS) 164.8Ib/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

Product: Details       Non-Destructive Testing         Heat       Test Type       Product Size       Pieces       Length       Mass       Geiger lb/ft       Res. Mag. Visual       OD*       UT       UT       ET       HydroTest       End         BSM-1747       Heat       NPS 16 SCH 100 1.031in. WT       2       DRL       164.8       <5				Company of the Compan	The second secon										
Product: Details  Non-Destructive Testing  Non-Destructive Testing  Fieces Length Mass Geiger Res. Mag. Visual OD* UT UT ET HydroTest Cor  Non-Destructive Testing  HydroTest Cor	Plain End		Pass	Pass	Pass	Pass	Pass	<10	ŝ	164.8	DRL	2	NPS 16 SCH 100 1.031in. WT		BSM-1747
Product: Details  Non-Destructive Testing  Test Type Product Size Pieces Length Mass Geiger Res. Mag. Visual OD* UT UT ET HydroTest	Condition		ASTM E309	ASTM E213	W		insp.		µR/hr	Ib/ft					
Product: Details	End	HydroTest	E	5	5	00.	Visual	Res. Mag.	Geiger	Mass		Pieces		lest lype	неат
5															
				ive Testing	n-Destruct	Nor							Product: Details		

Product 0.20 0.91 0.014 0.005 0.3	Heat 0.18 0.88 0.013 0.003	Heat Steelmaking Method Test Type C Mn P S S	Chemical Analysis (Wt%
0.29 0.07 0.07	0.28 0.07 0.06	Si Cr Cu	Analysis (wt%)
0.01 0.03 0.0	0.00 0.02 0.0	Mo Ni	
0.003 0.002 0.001	0.003 0.002 0.001	V Ti Nb	
0.0004 0.37	0.0003	B CE(IIW)	
0.37	,	CE(CSA)	

BSM-1/4/	Heat	
Heat	Test Type	
remite & Pearlite	Microstructure	
78 HRBW	Hardness	
Pass	Flattening Test	2
Longitudinal; 19.05 mm x WT	Tension Test 50mm GL	Mechanical Properties
48,000	Yield (Rt0.5) psi	
69,500	Tensile (Rm) psi	
0.69	Y/T (Rt0.5/Rm)	
50	Elongation (A) %	

Heat	Test	Impact Test	Temp		Impac	t Energy			% S	Shear			lateral Ex	pansion	
	Standard	Sample Details	c	_	_	٦	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-1747	1	•	,		,	,	,	ï		r	ı	•		,	ı

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3
  Sour Service-2009 NACE MR0103-2010 Section 2.1
- No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- \*OD Tolerances as per API

Mill Test Certificate approved by:

Souden 2014 APR 09

Paul Sowden, T.T.

Assistant QA Manager