

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Seamless Carbon Steel Pipe Product Heat Number: BSM-1811 Product Size: 20S140

Production Method:

Hot Expansion

Product:

: 20S140 Production Date:

May 05, 2014

Certificate No.: MTR- 001080

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Heat Treatment:

As-rolled

Product Markings NPS 20 SCH 140 1.750 INCHWT SMLS 2014/05 NDE

MANUFACTURING HEAT BSM-1811 (PIPE # LENGTH MASS) 341.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

-				The second second second						200				
Plain End	*	Pass	Pass	Pass	Pass	Pass	<10	%	341.1	DRL	1	NPS 20 SCH 140 1.750in. WT	Heat	BSM-1811
Condition		ASTM	ASTM E213 ASTM	WT		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest	띄	Ţ	T	OD	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			tive Testing	Non-Destructive Testing	No							Product: Details		

	BSM-1811	Heat	
Degas, rully silled	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		
Product	Heat	Test Type	
0.20	0.21	С	
0.90	0.93	Mn	
0.010	3 0.012	Р	
0.20 0.90 0.010 0.004	0.008	S	Chemical Analysis
0.31	0.29	Si	Analysis (
0.04	0.04	Cr	wt%)
0.05	0.08	Cu	
0.01	0.01	Mo	
0.02	0.02	N:	
0.002	0.001	<	
0.002	0.002	Ţ	
0.001	0.001	Nb	
0.0004	0.0004	В	
0.37		CE(IIW)	
0.37	1	CE(CSA)	

	_	_	_	_
	BSM-1811		Heat	
	Heat		Test Type	
	Ferrite & Pearlite		Microstructure	
550	75 HRBW		Hardness	
CONTRACTOR	Pass		Flattening Test	
	Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
	37,000	psi	Yield (Rt0.5)	
The second secon	68,500	psi	Tensile (Rm)	
2010 000000 0000	0.54	(Rt0.5/Rm)	٧/٦	
	52	%	Elongation (A)	

BS	<u> </u>	
BSM-1811		Heat
ı	Standard	Test
1	Sample Details	Impact Test
ŧ	°C	Temp
ı	J	
1	J	Impact
1	J	Energy
-	AVG	
1	%	
-	%	% Shear
1	%	ear
ı	AVG	
I	mm	
ŧ	mm	Lateral Ex
ı	mm	Expansion
 t	AVG	

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- √This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1100 psi for 5 seconds.

Mill Test Certificate approved by:

Bamben

2014 MAX 15

Paul Sowden, T.T.

Assistant QA Manager