

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Product: Seamless Carbon Steel Pipe

**Product Heat Number:** 

BSM-1843

Product Size: 24T80

Production Date: May 15, 2014

Production Method: Hot Expansion

**Product Standards:** 

Product Heat Treatment:

As-rolled

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 Certificate No.: MTR- 001130

**Product Markings** | STEEL | - API & L/C No. > API SPEC 5L NPS 24 TRUE 80 1.219 INCHWT GR B PSL1 SMLS 2014/05 NDE 2400PSI , HEAT BSM-1843 (PIPE # LENGTH MASS) 296.4lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-1843		Heat	
	.843			
	Heat		Test Type	
	NPS 24 TRUE 80 1.219in. WT		Product Size	Product: Details
	2		Pieces	
Action to the second	DRL		Length	
0.000	296.4	lb/ft	Mass	
	<5	μR/hr	Geiger	
	<10	Gauss	Res. Mag.	
	Pass	Insp.	Visual	
	Pass		9	No
	Pass	WT	T	on-Destruc
	Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
	Pass	ASTM	ET	
	Pass	2400 PSI/ 5 s	HydroTest	
33	Plain End	5 <sub>s</sub> Condition	End	

										-1							
0.38	0.38	0.0004	0.001	0.001	0.003	0.03	0.01	0.06	0.07	0.30	0.003	0.010	0.96	0.20	Product 0.20 0.96 0.010 0.003 0.30	Degas; rully killed	
	1	0.0004	0.001	0.003	0.004	0.03	0.09	0.05	0.04	0.34	0.93 0.001 0.002 0.34	0.001		0.21	Heat	Blast Furnace; EAF; Ladle Refining; Vacuum	BSM-1843
CE(CSA)	CE(IIW)	В	Nb	Ti	<	N:	Mo	Cu	Cr	Si	S	P	Mn	С	Test Type	Steelmaking Method	Heat
									(wt%)	Analysis	Chemical Analysis (wt%)						

	BSM-1843		Heat	
	Heat		Test Type	
311.01.01.01	Ferrite & Pearlite		Microstructure	
	77 HRBW		Hardness	
	Pass		Flattening Test	
	Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
76 St. 1000	40,300	psi	Yield (Rt0.5)	
A	69,000	psi	Tensile (Rm)	
1,000,000	0.58	(Rt0.5/Rm)	Υ/Τ	
	47	%	Elongation (A)	

BSM-1843		Heat
-	Standard	Test
( <del>-</del>	Sample Details	Impact Test
	°C	Temp
	J	
	J	Impact
r	ľ	Energy
•	AVG	
ı	%	
-	%	% Shear
ı	%	ear
ı	AVG	
ı	mm	
	mm	Lateral Ex
	mm	Expansion
-	AVG	

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- $\checkmark$  No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Bounden 2014 MAY 21

Paul Sowden, T.T.

Assistant QA Manager