

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1923 Product Size: 24S60

Production Date: Jul 03, 2014

Hot Expansion

Product Heat Treatment: As-rolled

Certificate No.: MTR- 001211

BRI-STEEL | <API & L/C No. > API SPEC 5L NPS 24 SCH 60 0.969 INCHWT GR B PSL1 SMLS 2014/07 NDE 1900PSI

Product Markings

Product Standards: Production Method:

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2013 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

| BSM-1923                  |                | Heat          |                         |  |
|---------------------------|----------------|---------------|-------------------------|--|
| Heat                      |                | lest lype     |                         |  |
| NPS 24 SCH 60 0.969in. WT |                | Product Size  | Product: Details        | MANUFACTURE MEAT BSM-1923 (PIPE # LENGTH MASS) 238.11b/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA |
| Ь                         |                | Pieces        |                         | SM-1923 (F   |
| DRL                       |                | Pieces Length |                         | olpe # LENG  |
| 238.1                     | lb/ft          | U,            |                         | TH MASS) 23  |
| -5                        | μR/hr          | Geiger R      |                         | 8.1lb/ft ASTI  |
| <20                       | Gauss          | Res. Mag.     |                         | M/ASME A/S   |
| Pass                      | Insp.          | Visual        |                         | A106 GR B/   |
| Pass                      |                | OD            | No                      | 'C A/SA53 G  |
| Pass                      | WT             | T             | on-Destruct             | R B NACE N   |
| Pass                      | ASTM E213 ASTM | 4             | Non-Destructive Testing | /R0175/MR01  |
| Pass                      |                | 四             |                         | 103 MADE   |
| Pass                      | 1900 PSI/ 5 s  | HydroTest     |                         | IN CANADA  |
| Plain End                 | 5 s Condition  | End           |                         |  |

|             |         | BSM-1923  |   | Heat               |                         |
|-------------|---------|---|---|--------------------|-------------------------|
|             |         | Blast Furnace; EAF; Ladle Refining; Vacuum  Degas: Fully Killed | 1 | Steelmaking Method |                         |
|             | Product | Heat  |   | Test Type          |                         |
|             | 0.22    | 0.21  |   | C                  |                         |
|             | 0.92    | 0.91  |   | ĭ                  |                         |
|             | 0.016   | 0.007   |   | Ъ                  |                         |
| Coldina III | 0.007   | 0.004   |   | S                  | Chemical                |
|             | 0.32    | 0.31  |   | S:                 | Chemical Analysis (wt%) |
|             | 0.08    | 0.05  |   | ರ                  | wt%)                    |
|             | 0.06    | 0.05  |   | 5                  |                         |
|             | 0.03    | 0.02  |   | Mo                 |                         |
|             | 0.03    | 0.02  |   | Z.                 |                         |
|             | 500.0   | 0.001   |   | <                  |                         |
|             | 0.001   | 0.002   |   | ∄                  |                         |
|             | 0.001   | 0.001   |   | dN                 |                         |
|             | 0.0004  | 0.0001  |   | В                  |                         |
|             | 0.40    | -   |   | CE(IIW)            |                         |
|             | 0.40    | 1   | 1 | CE(CSA)            |                         |

| 4!       | 0.71       | 74,000       | 52,500        | Longitudinal; 19.05 mm x WT | Pass            | 81 HRBW  | Ferrite & Pearlite | Heat      | BSM-1923 |
|----------|------------|--------------|---------------|-----------------------------|-----------------|----------|--------------------|-----------|----------|
| %        | (Rt0.5/Rm) | psi          | psi           | 50mm GL                     |                 |          |                    |           |          |
| Elongati | ۲/۲        | Tensile (Rm) | Yield (Rt0.5) | Tension Test                | Flattening Test | Hardness | Microstructure     | Test Type | Heat     |
| 30 KG5/1 |            |              |               | Mechanical Properties       |                 |          |                    | 1         |          |

|  | Ģ.       | , | Г              |             |
|--|----------|---|----------------|-------------|
|  | BSM-1923 |   |                | Heat        |
|  | 1        |   | standard       | Test        |
|  |          |   | Sample Details | Impact Test |
|  | ,        |   | °C             | Temp        |
|  | ,        |   | _              |             |
|  | ı        |   | _              | Impact      |
|  |          |   | _              | Energy      |
|  | ı        |   | AVG            |             |
|  | -        |   | %              |             |
|  |          |   | %              | % Shear     |
|  | . 1      |   | %              | ear         |
|  | 1        |   | AVG            |             |
| V0000 E181800  |          |   | mm             |             |
| Section 10 to 10 t | ,        |   | mm             | Lateral Ex  |
| The second second  |          |   | mm             | Expansion   |
|  |          |   | AVG            |             |

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2013 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

4102 Bs hye

Tonya Lam, C.E.T.

Assistant QA Manager