

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Fax: 001 (780) 469-6986 Bri-Steel Manufacturing Tel: 001 (780) 469-6603 www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-3174

Hot Expansion **Product Heat Treatment:**

> Product Size: NPS 30 STD Production Date: Jun 22, 2017

Production Method:

Normalizing Forming Certificate No.: MTR- 003389

Product Standards: ASME B36.10M-2015, ASTM/ASME A106-2014/SA106-2015 Grade B/C NDE, A53-2012/SA53-2015 Grade B Type S, NACE MR0175/ISO 15156-2:2015 MR0103/ISO 17495:2015

Product Markings

NPS 30 STD 0.375 INCHWT SMLS 2017/06 NDE 600PSI

HEAT BSM-3174 (PIPE # LENGTH MASS) 118.82lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

Non-Destruct Non-Destruct OD UT (WT) ASTM E114 Pass Pass Pass	- 1
Product: Details Product Size Pieces Pieces Product Size Pieces Pieces Product Size Pieces P	
Pieces Length Mass Geiger Res. Mag. Visual OD b/ft μR/hr Gauss Insp. 6 DRL 118.82 <5 <10 Pass Pass Chemical Analysis (wt%)	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
Geiger Res. Mag. Visual OD OD OD OD OD OD OD OD OD	
g. Visual OD Insp. Pass Pass	Ch
g. Visual OD Insp. Pass Pass	emical Ana
Pass	lysis (wt%)
7	
On-Destructive UT (WT) ASTM E114 AST Pass N12	
AST AST	
UT ASTM E213 N12.5 Pass	
ET ASTM E309	
HydroTest 600PSI/ 5 s Pass	
End Condition 35° Bevel	

			BSM-3174	Heat
		Steelmaking Method		
		Product	Heat	Test Type
	-	0.17	0.15	0
	1			Mn
	1	1.13 0.006 0.005 0.28 0.17	0.008	P
	1	0.005	0.004	S
	1	0.28	0.28	Si
	1	0.17	1.09 0.008 0.004 0.28 0.16	Cr
	ı	0.10	0.11	Сп
	-	0.02	0.02	Мо
	ľ	0.05	0.06	<u>Z</u>
		0.065	0.060	<
	ı	0.036	0.001	Ti
	-	0.002	0.001	Nb
	ſ	0.0040	0.0001	В
	c	0.42	0.39	CE(IIW)
		1	t	CE(IIW)Max
	1	0.43	0.37	CE(CSA)

Mechanical Properties

	BSM-3174	- T	Heat
	Heat		Test Type
	Ferrite & Pearlite		Microstructure
	79 HRBW		Hardness
	Pass	5	Flattening Test
The state of the s	Longitudinal; 1.5 in. x WT	2 in. GL	Tension Test
	50 500	psi	Yield (Rt0.5)
	70 500	psi	Tensile (Rm)
20 W W 20 W	0.72	(Rt0.5/Rm)	٧/٢
	38	%	Elongation (A)

BSM-3174		Heat
	Standard	Test
-		Result
•	Sample Details	Impact Test
-	°C	Temp
**	(3 Tests) AVG	Impact Energy Min. (J)
-	(3 Tests) AVG	Impact Energy Results (J)
1	(3 Tests) AVG	Shear (%)
3	(3 Tests) AVG	Lateral Expansion (mm)

Additional Details:

✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing in accordance with ASTM/ASME is registered and certified to ISO 9001:2015 (APIQR-1584), API Q1, and PED 2014/68/EU. A106-2014/SA106-2015, A53-2012/SA53-2015, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing

Mill Test Certificate approved by:

This pipe product meets the SOUR SERVICE requirements of ANSI/NACE MR0175/ISO 15156-2A:2015 (Annex A2 for Region 3 Sour Service), and ANSI/NACE MR0103/ISO 17495:2015 Section 13.1

Tonya Lam, P. Tech (Eng.)

√ No weld repairs have been performed on this product.

√ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.

Assistant QA Manager

Se S

 \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.